

WHITE—DIVISION OF WATER RESOURCES
 CANARY—CLIENT'S COPY
 PINK—WELL DRILLER'S COPY

STATE OF NEVADA
 DIVISION OF WATER RESOURCES

OFFICE USE ONLY
 Log No. 74210
 Permit No. _____
 Basin. _____

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 57716

1. OWNER Vince Frontino ADDRESS AT WELL LOCATION 795 Encanion
 MAILING ADDRESS 795 Encanion Sparks, Nv 89436

2. LOCATION NW 1/4 NE 1/4 Sec 16 T. 21N N/S R. 21E E County _____
 PERMIT NO. _____ Issued by Water Resources _____ Parcel No. _____ Subdivision Name _____

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

| Material | Water Strata | From | To | Thick-ness |
|--|--------------|------|-----|------------|
| brown clay | | 0 | 4 | 4 |
| brown D.G | | 4 | 10 | 6 |
| brown clay stone | | 10 | 20 | 10 |
| brown D.G | | 20 | 30 | 10 |
| brown volcanic rock frac | | 30 | 50 | 20 |
| multi col. volc. rock | | 50 | 75 | 25 |
| multi col. gravel | | 75 | 85 | 10 |
| bro. & black volcanic rock fractured | | 85 | 105 | 20 |
| brown volcanic rock | | 105 | 115 | 10 |
| mulit colored volcanic rock fractured | | 115 | 165 | 50 |
| multi colored gravels | | 165 | 167 | 2 |
| black granite fractured | | 167 | 170 | 3 |
| multi colored volcanic rock fractured | | 170 | 180 | 10 |
| blk vol rock fractured | | 180 | 185 | 5 |
| multi colored gravels | | 185 | 195 | 10 |
| black granite hard | | 195 | 200 | 5 |
| multi colored gravels | | 200 | 210 | 10 |
| multi col vol rock | | 210 | 220 | 10 |
| black & orange volcanic rock fractured | | 220 | 235 | 15 |
| T.D. 865' | | | | |
| NEXT PAGE | | | | |

8. WELL CONSTRUCTION
 Depth Drilled 865 Feet Depth Cased 865 Feet

HOLE DIAMETER (BIT SIZE)

| From | To |
|---------------|----------|
| 10 5/8 Inches | 0 Feet |
| 8 1/2 Inches | 50 Feet |
| 6 1/8 Inches | 840 Feet |
| | 865 Feet |

CASING SCHEDULE

| Size O.D. (Inches) | Weight/Ft. (Pounds) | Wall Thickness (Inches) | From (Feet) | To (Feet) |
|--------------------|---------------------|-------------------------|-------------|-----------|
| 6 5/8 | 17.0 | .225 | ±1 1/2 | 840 |
| 5" | 6.56 | .188 | 825 | 865 |

Perforations:
 Type perforation factory sawed
 Size perforation 3/32X3
 From 7.80 feet to 820 feet
 From 8.45 feet to 865 feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout

Depth of Seal 50'

Placement Method: Pumped Poured

Gravel Packed: Yes No
 From 840 feet to 50' feet

9. WATER LEVEL
 Static water level 7.25' feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature cold °F Quality _____

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name A.S.A.P. Pump&Well Servie Contractor
 Address PO Box 60130 Contractor
Reno, Nv 89506
 Nevada contractor's license number issued by the State Contractor's Board 35387-A
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2066
 Signed [Signature]
 By driller performing actual drilling on site or contractor
 Date December 1, 1998

Date started November 11, 1998.
 Date completed November 25, 1998.

7. WELL TEST DATA

| TEST METHOD: | G.P.M. | Draw Down (Feet Below Static) | Time (Hours) |
|--|-----------|-------------------------------|--------------|
| <input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift | <u>12</u> | | <u>3 HRS</u> |

WHITE-DIVISION OF WATER RESOURCES
CANARY-CLIENT'S COPY
PINK-WELL-DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

Log No. _____
Permit No. _____
Basin. 85

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37796

1. OWNER Vince Frontino ADDRESS AT WELL LOCATION 795 Encanio Sparks, Nv 89436
MAILING ADDRESS 795 Encanio Sparks, Nv 89436

2. LOCATION NW 1/4 NE 1/4 Sec 16 T. 21N N/S R. 21E E County _____
PERMIT NO. _____ Issued by Water Resources _____ Parcel No. _____ Subdivision Name _____

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

| Material | Water Strata | From | To | Thickness |
|--|--------------|--------------------|--------------------|-----------|
| black&brown volcanic rock fractured | | 235 235 | 305 245 | 10 |
| brown&orange volcanic rock fractured | | 245 | 275 | 30 |
| red&brown volcanic rock fractured | | 275 | 295 | 20 |
| red&brown volcanic rock fractured | | 295 | 305 | 10 |
| multi colored volcanic rock soft | | 305 | 310 | 5 |
| black&brown volcanic rock fractured | | 310 | 340 | 30 |
| black&red vol rock | | 340 | 360 | 20 |
| multi col vol rock | | 360 | 365 | 5 |
| red&black volcanic rock | | 365 | 375 | 10 |
| multi col vol rock | | 375 | 410 | 35 |
| black&orange vol rock | | 410 | 415 | 5 |
| orange&black vol rock | | 415 | 425 | 10 |
| red&orange volcanic rock | | 425 | 432 | 7 |
| red&black volcanic rock | | 432 | 435 | 3 |
| black besalt hard | | 435 | 440 | 5 |
| black besalt fractured | | 440 | 500 | 60 |
| black&brown volcanic rock fractured | | 500 | 530 | 30 |
| brown, orange, black volcanic rock fractured | | 530 | 545 | 15 |
| T.D 865' | | | | |

8. WELL CONSTRUCTION

Depth Drilled _____ Feet Depth Cased _____ Feet

HOLE DIAMETER (BIT SIZE)
From _____ To _____
Inches _____ Feet _____ Feet
Inches _____ Feet _____ Feet
Inches _____ Feet _____ Feet

CASING SCHEDULE

| Size O.D. (Inches) | Weight/Ft. (Pounds) | Wall Thickness (Inches) | From (Feet) | To (Feet) |
|--------------------|---------------------|-------------------------|-------------|-----------|
| | | | | |
| | | | | |
| | | | | |

Perforations:
Type perforation _____
Size perforation _____
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
Depth of Seal _____ Neat Cement
Placement Method: Pumped Cement Grout
 Poured Concrete Grout

Gravel Packed: Yes No
From _____ feet to _____ feet

9. WATER LEVEL

Static water level _____ feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature _____ °F Quality _____

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name A.S.A.P. Pump&Well Service, Inc. Contractor
Address PO Box 60130 Contractor
Reno, Nv 89506

Nevada contractor's license number issued by the State Contractor's Board 35387-A
Nevada driller's license number issued by the Division of Water Resources, the on-site driller _____
Signed [Signature]
By driller performing actual drilling on site or contractor
Date December 1, 1998

Date started _____, 19____
Date completed _____, 19____

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

| G.P.M. | Draw Down (Feet Below Static) | Time (Hours) |
|--------|-------------------------------|--------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

