

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2452
 Rec. Jan 11 1954
 Well No. _____
 Permit No. 15452-18942
 Do not fill in 3656
36155

Owner Gus Knezevich Driller N D Kelley

Address Humbolt Hotel Address 111-43 ST Winnemucca Lic. No. 158

Location of well: S.E. 1/4 S.W. 1/4 Sec. 20., T. 26 N/S, R. 28 E, in Humbolt Count _____

or _____

Water will be used for IRRIGATION Total depth of well 495 FT

Size of drilled hole 14 inch Weight of casing per linear foot 15.16

Thickness of casing 10 Ga Temp. of water 60

Diameter and length of casing 14 1/2" 495'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 70 FT

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 9-1-53 Date of completion of well 10-28-53

Type of well rig Home Made

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	Sandy Soil.
25	115	90	Gravel
115	180	65	clay & Gravel
180	200	20	Gravel
200	250	50	clay
250	260	10	Gravel
260	480	220	clay
480	490	10	Gravel
490	495	5	Loam

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 480 to 495 ft.

Other aquifers _____

First water at 90 feet.

Casing perforated

from 80 to 495 ft.

Size of perforations

1/4 x 4"

