

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
 Log No. 74697
 Permit No. _____
 Basin 101

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 401

1. OWNER Lou Carrica
 MAILING ADDRESS 2955 Reno Hwy Fallon, NV 89406
 ADDRESS AT WELL LOCATION 2070 Reno Highway, Fallon, NV 89406

2. LOCATION NW 1/4 SW 1/4 Sec. 26 T 19N N/S R 28E E Churchill County
 PERMIT NO. 59332 Issued by Water Resources Parcel No. _____ Subdivision Name _____

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____

4. PROPOSED USE
 Domestic Municipal/Industrial Irrigation Monitor Test Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Top Soil		0	7	7
Brown Sand		7	18	11
Brown Clay		18	21	3
Brown Sand		21	40	19
Gray Sand		40	80	40
Gray Silt		80	90	10
Brown Sand	XX	90	106	16
NAD 27				
N 39.47717				
W 118.80162				

8. WELL CONSTRUCTION
 Depth Drilled 106 Feet Depth Cased 106 Feet

HOLE DIAMETER (BIT SIZE)
 From 14 Inches To 0 Feet
 From 0 Feet To 106 Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8 PVC	5.88	.258	20	106
8 Steel	14.96	.188	0	20

Perforations:
 Type perforation Saw Cut
 Size perforation 1/8

From <u>103</u> feet to <u>106</u> feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Surface Seal: Yes No
 Depth of Seal 100
 Placement Method: Pumped Poured
 Seal Type: Neat Cement Cement Grout Concrete Grout
 Gravel Packed: Yes No
 From 100 feet to 106 feet

9. WATER LEVEL
 Static water level 10.10 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature cool °F Quality unknown

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Parsons Drilling, Inc. Contractor
 Address P.O. Box 1264 Contractor
 Fallon, Nv. 89407
 Nevada contractor's license number issued by the State Contractor's Board 29064
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1753

Date started 3/8/99, 19____
 Date completed 3/8/99, 19____

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift	<u>60</u>		<u>1 hr</u>

Signed Wayne Parsons
 By driller performing actual drilling on-site or contractor
 Date 3/16/99

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7027
 Rec. Feb. 20 1963
 Well No. 2 ~~7232~~
 Permit No. 12256
 25694 Do not fill in

Owner Clyde Henson Driller Robert J. Hodges Basin 057

Address _____ Address Bottle Mt. Lic. No. 320

Location of well: SE of North $\frac{1}{4}$ Sec. 10, T 24 N/S, R 4 E, in Lander County
 or NE N 39.969787 W 117.452548 NAD27

Water will be used for Irrigation Total depth of well 260

Size of drilled hole 17 3/4" Weight of casing per linear foot 24

Thickness of casing 10 ga. Kuwell Temp. of water 56

Diameter and length of casing 4" x 16 1/4"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not tested

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Nov 22, 1962 Date of completion of well Dec 8, 1962

Type of well rig 3000 Frank's

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1'	8'	8'	Top soil
8	28	20	gravel
28	80	68	gravel clay
80			water
80	116	36	clean fine gravel
116	152	36	gravel streak clay
152	170	18	Gravel sand ball clay
170	198	28	streak clay
198	224	26	sandy clay
224	240	16	gravel clay
240	260	20	clay gravel very fine sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 80 to 244 ft.

Other aquifers _____

First water at 77 feet.

Casing perforated
 from 80 to 244 ft.

Size of perforations 1/4

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
16"			4'	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Robert I. Hodges
Well Driller

By _____

License No. 320

Dated Feb 19, 1963

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7026
 Rec. Feb 20 1963
 Well No. 1
 Permit No. 19283
25695 Do not fill in 25693

Owner Mr. Clyde Jensen Driller Robert J. Hodges Dist. #57
 Address _____ Address Battle Mtn Nevada Lic. No. 320

Location of well: S.E. on South half N
SE SE 1/4 Sec. 10, T24 N/S, R40 E, in Fander County
 or N39.961380 W117.452873 NAD83

Water will be used for irrigation Total depth of well 280
 Size of drilled hole 16 3/4 Weight of casing per linear foot 24.56
 Thickness of casing 18 ga. Temp. of water 56°
 Diameter and length of casing 4' x 16 3/4"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well Nov 1 - 1962 Date of completion of well Nov 27 - 1962
 Type of well rig 3000 Franks

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	8	8	Top soil
4	24	16	Clay
24	84	64	Clay small gravel water
84	224	140	Clay gravel small studs
224	280	56	Sand gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 85 to 280 ft.

Other aquifers _____

First water at 85 feet.

Casing perforated

from 85 to 256 ft.

Size of perforations

1/4"

Permits 65365-6

WHITE - DIVISION OF WATER RESOURCES
CANARY - CLIENT'S COPY
PINK - WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 86366
Permit No. 67635 T
Basin 20 057

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 45753

1. OWNER Glenn Bakker ADDRESS AT WELL LOCATION Antelope Valley, NV
MAILING ADDRESS HC61 Box 169
Battle Mountain, NV 89820 N39.969496 W117.453395 NAD83
2. LOCATION SE 14 NE 1/4 Sec. 10 T 24N N/S R 40E E Lander County
PERMIT NO. 67635-T Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED New Well Replace Recondition Deepen Abandon Other
4. PROPOSED USE Domestic Irrigation Test Monitor Municipal/Industrial Stock
5. WELL TYPE Cable Rotary RVC Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Brown Clay		0	7	7
Gravel & Sand		7	80	73
Brown Sand		80	90	10
Gravel		90	115	25
Sand & Gravel		115	135	20
Clay W Gravel		135	195	60
Sand		195	210	15
Gravel & Sand	X	210	220	10
Sand & Clay		220	225	5
Clay W/Sand		225	248	23
Clay		248	260	12
Sand	X	260	265	5
Clay		265	270	5
Clay & Sand		270	280	10
Sand		280	284	4
Clay		284	345	61
Gravel	X	345	365	20
Clay		365	375	10

This well not drilled at this permitted location PL 15-00A

8. WELL CONSTRUCTION
Depth Drilled 375 Feet Depth Cased 375 Feet
HOLE DIAMETER (BIT SIZE)
29 Inches From 0 Feet To 375 Feet
Inches Feet Feet Feet
Inches Feet Feet Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>16</u>	<u>42</u>	<u>250</u>	<u>0</u>	<u>375</u>

Perforations:
Type perforation Mill Cut
Size perforation 1/4
From 200 feet to 375 feet
From _____ feet to _____ feet

Surface Seal: Yes No Seal Type: Neat Cement Cement Grout Concrete Grout
Depth of Seal 50
Placement Method: Pumped Poured
Gravel Packed: Yes No
From 50 feet to 375 feet

9. WATER LEVEL
Static water level 115 feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature cool °F Quality unknown

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Parsons Drilling, Inc. Contractor
Address P.O. Box 1264 Contractor
Fallon Nv. 89407
Nevada contractor's license number issued by the State Contractor's Board 29064
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1753
Signed Wayne
By driller performing actual drilling on-site or contractor
Date 01/02/2002

Date started 07/11/2001, 19
Date completed 07/22/2001, 19

7. WELL TEST DATA

TEST METHOD:	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift		
G.P.M.		

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
 Log No. 89219
 Permit No. 69321
 Basin 057

PRINT OR TYPE ONLY
 NOT WRITE ON BACK

Permit
 72237

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. **45761**

1. OWNER **William Wohle** ADDRESS AT WELL LOCATION **Antelope Valley, NV**
 MAILING ADDRESS **HC61 Box 169**
Battle Mountain, NV 89820 N39.954978 W117.952436 NAD27

2. LOCATION ~~NE~~ NE 1/4 Sec. 10 T 24N N/S R 40E E Lander County
 PERMIT NO. R-426 / 109321 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Gravel		0	10	10
Clay w/Gravel		10	132	122
Gravel		132	150	18
Clay		150	161	11
Gravel	XX	161	168	7
Clay		168	176	8
Gravel w/Clay Stringers		176	315	139
Gravel	XX	315	320	5
ClayGravel	XX	320	627	307
Clay		627	635	8
Sand Stone		635	655	20
Clay		655	690	35
Sand Stone	XX	690	722	32
Clay		722	778	56
Cement Gravel	XX	778	785	7
Clay		785	800	15

8. WELL CONSTRUCTION
 Depth Drilled 800 Feet Depth Cased 800 Feet

HOLE DIAMETER (BIT SIZE)

	From	To
<u>36</u> Inches	<u>0</u> Feet	<u>50</u> Feet
<u>26</u> Inches	<u>50</u> Feet	<u>800</u> Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>16</u>	<u>15.25</u>	<u>.250</u>	<u>0</u>	<u>800</u>
<u>30</u>	<u>20.75</u>	<u>.065</u>	<u>0</u>	<u>50</u>

Perforations:
 Type perforation Mill Cut
 Size perforation Double Row 1/4

From	To
<u>800</u> feet to	<u>600</u> feet
<u>500</u> feet to	<u>140</u> feet
feet to	feet
feet to	feet
feet to	feet

Surface Seal: Yes No Seal Type:
 Depth of Seal 50 Neat Cement
 Placement Method: Pumped Poured Cement Grout Concrete Grout
 Gravel Packed: Yes No
 From 0 feet to 50 feet

9. WATER LEVEL
 Static water level 120 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature cool °F Quality unknown

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.

Date started 02/06/2003, 19
 Date completed 02/12/2003, 19

7. WELL TEST DATA

TEST METHOD:	TEST METHOD:	
	G.P.M.	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	Draw Down (Feet Below Static)	

Name **Parsons Drilling, Inc.** Contractor
 Address **P.O. Box 1265** Contractor
Fallon Nv. 89407-1265
 Nevada contractor's license number issued by the State Contractor's Board **29064**
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller **1753**
 Signed Wayne Parsons
 By driller performing actual drilling on-site or contractor
 Date **03/17/2003**

FEBRU 27 11:34
 WATER RESOURCES DIVISION OFFICE

Permits 76323-4

STATE OF NEVADA
DIVISION OF WATER RESOURCES

OFFICE USE ONLY

Log No. 103697
Permit No. _____
Basin φ 57

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please fill in this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 59372

1. OWNE Rod Monk
MAILING ADDRESS Hc 61 Box 180 Battle Mountain, NV 8
Battle Mountain, NV 89820

ADDRESS AT WELL LOCATION Antelope Valley
Battle Mountain, NV 89820

2. LOCATION SE 1/4 SE 1/4 Sec 10 T 24 R 40
PERMIT NO 74411T Parcel No.

Latitude 39.96281 Longitude -117.45395 WGS 84
Subdivision Name County Lander

3. WORK PERFORMED
New Well

4. PROPOSED USE
Irrigation

5. WELL TYPE
RVC

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Sand		0	9	9
W/Sand Gravel		9	68	59
Brown Clay & Gravel		68	81	13
Gravel		81	102	21
Brown Clay		102	116	14
Brown W/Gravel Clay		116	121	5
Gravel		121	128	7
Brown Clay		128	144	16
Gravel		144	162	18
Brown Clay		162	203	41
Gravel	X	203	212	9
Brown Clay		212	222	10
Brown W/Gravel Clay	X	222	261	39
Brown Clay		261	291	30
Brown W/Gravel Clay	X	291	334	43
Brown Clay		334	360	26
Gravel	X	360	371	11
Brown Clay		371	422	51
Gravel	X	422	426	4
Brown Clay		426	441	15
W/Clay Gravel	X	441	480	39
Brown Clay		480	523	43
Brown W/Gravel Clay	X	523	568	45
Rock	X	568	570	2

Date started 4/17/2007

Date completed 4/18/2007

7. WELL TEST DATA

TEST METHOD

Comments	GPM	Drawdown	Time (Hours)
No Test Done			

N 39.962906
W 117.453004 NAD27

8. WELL CONSTRUCTION

Depth Drilled 570 Depth Cased 570 Feet

HOLE DIAMETER (BIT SIZE)

	From	To
36 Inches	0 Feet	50 Feet
26 Inches	50 Feet	570 Feet
Inches	Feet	Feet

CASING SCHEDULE

Size O.D. (inches)	Weight/Pt. (Pounds)	Wall Thickness	From (Feet)	To (Feet)
30	20.75	0.065	0	50
16	42.09	0.375	0	570

Perforations:

Type perforation Double Row Perfor
Size perforation 0.25
From 210 feet to 570 feet

Surface Sea Yes No

Seal Type:

Depth of Seal 50

Concrete Grout

Placement Method: Poured

Gravel Packed: Yes No

From 0 feet to 570 Feet

9. WATER LEVEL

Static Water Level 160 feet below land surfac

Artesian Flow G.P.M. P.S.I.

Water temperature ° F Qualit unknown

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Parsons Drilling, Inc.

Contracto

Address 403 McLean Road

Fallon, NV 89407

Contracto

Nevada contractor's license number 29064
issued by the State Contractor's

Nevada driller's license number issued by the 1753-
Division of Water Resource, the on-site driller

Signe W. J. [Signature]

By driller performing the actual drilling on site or contract

Date 6/7/2007

2007 JUN 13 AM 11:02
 STATE OF NEVADA
 DIVISION OF WATER RESOURCES