

Faxed 3-8-99

WHITE-DIVISION OF WATER RESOURCES  
CANARY-CLIENT'S COPY  
PINK-WELL DRILLER'S COPY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES

OFFICE USE ONLY

Log No. 75174

Permit No. \_\_\_\_\_

Basin 162

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

**WELL DRILLER'S REPORT**  
Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 18186

1. OWNER John Winters ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS \_\_\_\_\_  
 2. LOCATION NW 1/4 NW 1/4 Sec 13 T. 21S N/S R. 53E E Nye County  
 PERMIT NO. 44-582-03 Issued by Water Resources Parcel No. \_\_\_\_\_ Subdivision Name \_\_\_\_\_

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other \_\_\_\_\_

4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG

| Material       | Water Strata | From | To  | Thick-ness |
|----------------|--------------|------|-----|------------|
| Sandy Clay     |              | 0    | 5   | 5          |
| Brown Clay     |              | 5    | 12  | 7          |
| Grey Clay      |              | 12   | 30  | 18         |
| Caliche        |              | 30   | 33  | 3          |
| Grey Clay      |              | 33   | 55  | 22         |
| Brown Clay     | X            | 55   | 105 | 50         |
| LT. Brown Clay | X            | 105  | 140 | 35         |

8. WELL CONSTRUCTION  
 Depth Drilled 140 Feet Depth Cased 140 Feet

HOLE DIAMETER (BIT SIZE)  
 From 12 Inches To 140 Feet  
 \_\_\_\_\_ Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 \_\_\_\_\_ Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE

| Size O.D. (Inches) | Weight/Ft. (Pounds) | Wall Thickness (Inches) | From (Feet) | To (Feet) |
|--------------------|---------------------|-------------------------|-------------|-----------|
| 12                 | 0                   | Sch. 40                 | 0           | 140       |

Perforations:  
 Type perforation Factory  
 Size perforation Saw 1 1/8 x 5

From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From 120 feet to 140 feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
 Neat Cement  
 Cement Grout  
 Concrete Grout

Depth of Seal 50

Placement Method:  Pumped  
 Poured

Gravel Packed:  Yes  No  
 From 50 feet to 140 feet

9. WATER LEVEL  
 Static water level 54 feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. P.S.I.  
 Water temperature Cold °F Quality good

Date started 10-8, 1998  
 Date completed 10-12, 1998

7. WELL TEST DATA

TEST METHOD:  Bailer  Pump  Air Lift

| G.P.M. | Draw Down (Feet Below Static) | Time (Hours) |
|--------|-------------------------------|--------------|
| 30     | 0                             | 1/2          |

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Lamp Water Well Service Contractor  
 Address P.O. Box 3392 Contractor  
Pahrump NV 89001  
 Nevada contractor's license number 0035901  
 issued by the State Contractor's Board  
 Nevada driller's license number issued by the 1916  
 Division of Water Resources, the on-site driller  
 Signed Larry H. Jenkins  
 By driller performing actual drilling on site or contractor  
 Date 3-4-99