


WHITE-DIVISION OF WATER RESOURCES
CANARY-CLIENT'S COPY
PINK-WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

OFFICE USE ONLY
Log No. 78297
Permit No. _____
Basin _____



PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 19975
ADDRESS AT WELL LOCATION BARRICK GOLDSTRIKE MINESITE, NORTH OF CARLIN, NV.

1. OWNER BARRICK GOLDSTRIKE MINES
MAILING ADDRESS P.O. BOX 29
ELKO, NV 89803

2. LOCATION NW 1/4 NE 1/4 Sec. 30 T. 36 N. S. R. 50 E EUREKA County

PERMIT NO. N/A Issued by Water Resources Parcel No. N/A Subdivision Name N/A

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
GRAY GRANODIORITE		0	60	60
NO RETURN		60	70	10
GRAY GRANODIORITE WITH CLAY		70	90	20
GRAY GRANODIORITE		90	185	95
DARK GRAY GRANODIORITE		185	230	45
DARK GRAY SAND		230	235	5
DARK GRAY GRANODIORITE		235	260	25
NO RETURN		260	265	5
GRAY GRANODIORITE		265	340	75
NO RETURN		340	365	25
LIGHT GRAY GRANODIORITE		365	380	15
NO/POOR RETURN		380	400	20
DARK GRAY GRANODIORITE		400	655	255
WHITE CLAY		655	670	15
DARK GRAY GRANODIORITE		670	765	95

CONSTRUCTION DETAIL:

CEMENT	0	50
HOLE PLUG	50	490
GRAVEL PACK	490	505
HOLE PLUG	505	580
CEMENT	580	600

8. WELL CONSTRUCTION
Depth Drilled 765 Feet Depth Cased 740 Feet

HOLE DIAMETER (BIT SIZE)
From To
14.75 Inches 0 Feet 17 Feet
9.875 Inches 17 Feet 765 Feet
Inches Feet Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
10.75	28.04	0.250	0	17
1:1.66	2.27	0.140	+1	740
2:1.66	2.27	0.140	+1	650
3:1.66	2.27	0.140	+1	500

Perforations: MILL SLOT
Type perforation _____
Size perforation 0.125" X 3"
From 1: 735 feet to 740 feet
From 2: 645 feet to 650 feet
From 3: 495 feet to 500 feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Surface Seal: Yes No Seal Type: Neat Cement
Depth of Seal 50' Cement Grout
Placement Method: Pumped Concrete Grout
 Poured
Gravel Packed: Yes No *SEE DETAIL
From _____ feet to _____ feet

9. WATER LEVEL
Static water level: *SEE ATTACHED _____ feet below land surface
Artesian flow: NOTE* _____ G.P.M. _____ P.S.I.
Water temperature: _____ °F Quality _____

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name: LANG EXPLORATORY DRILLING Contractor
Address: P.O. BOX 5279 Contractor
ELKO, NV 89802
Nevada contractor's license number issued by the State Contractor's Board: 0021976
Nevada driller's license number issued by the Division of Water Resources, the on-site driller: 1410
Signed: John Kusnetz
By driller performing actual drilling on site or contractor
Date: JULY 9, 1999

Date started JUNE 21, 1999.
Date completed JULY 9, 1999.

7. WELL TEST DATA

TEST METHOD	<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	Draw Down (Feet Below Static)	Time (Hours)
<u>30 G.P.M.</u>			

Lang Exploratory Drilling
A Division of Boart Longyear Company
3707 Manzanita Lane, Elko, Nevada 89801 USA
P.O. Box 5279, Elko, Nevada 89802 USA
Telephone: 775-753-8710
Fax: 775-753-5278



LANG EXPLORATORY DRILLING

27 July 1999

Mr. Matt Dillon
Well Supervisor
Division of Water Resources
123 West Nye Lane
Carson City, NV 89706

Dear Matt:

Enclosed please find a Well Driller's Report for piezometer well PZ99-14, which we drilled and constructed for Barrick Goldstrike. This well was drilled at 47 degrees from vertical; as a consequence, it is essentially impossible to get a sounder tape down to record the static water levels. Thus, we are waiting for Barrick to receive transducers, which we will then install in the well. The transducer readings will be passed on to us, and I will then let you know what the static water levels ended up being.

Thank you for your patience.

Regards,


Bob St. Louis
Personnel Manager