WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

OFFICE USE ONLY
Log No. 78605
Permit No.
Basin 162

NOTICE OF INTENT NO. 19309

1. OWNER PAUL GENTRY
MAILING ADDRESS
ADDRESS AT WELL LOCATION 2031 E. TRACI ST.

2. LOCATION SW ¼ NW ¼ Sec. 1 T. 22-S N/S R. 53 E NYE County
PERMIT NO. (Issued by Water Resources) 41-382-02 (Parcel No.) CALVADA VALLEY, UT:14, BK:24 (Subdivision Name)

3. WORK PERFORMED
☒ New Well ☐ Replace ☐ Recondition
☐ Deepen ☐ Abandon ☐ Other

4. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal/Industrial ☐ Monitor ☐ Stock

5. WELL TYPE
☐ Cable ☒ Rotary ☐ RVC
☐ Air ☐ Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
SURFACE		0	4	4
BROWN CLAY		4	46	42
BROWN CLAY/CALICHE	X	46	78	32
GRAY CLAY		78	94	16
GRAY CLAY/CALICHE	X	94	128	34
BROWN CLAY		128	164	36
BROWN CLAY/GRAVEL	X	164	188	24

Date started JANUARY 6, 2000
Date completed JANUARY 6, 2000

7. WELL TEST DATA
TEST METHOD: ☐ Bailer ☐ Pump ☒ Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
20	4	¼

8. WELL CONSTRUCTION
Depth Drilled 188 Feet Depth Cased 188 Feet

HOLE DIAMETER (BIT SIZE)

		From	To
12 Inches		0 Feet	188 Feet
Inches		Feet	Feet
Inches		Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8 5/8	16.94	.188	0	188

Perforations:
Type perforation TORCH CUT
Size perforation ¼" WIDTH 8" LONG
From 148 feet to 188 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

Surface Seal: ☒ Yes ☐ No
Depth of Seal 50'
Placement Method: ☐ Pumped ☒ Poured
Seal Type: ☐ Neat Cement ☐ Cement Grout ☒ Concrete Grout
Gravel Packed: ☒ Yes ☐ No
From 50 feet to 188 feet

9. WATER LEVEL
Static water level 60 feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature °F Quality

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name JIM PIKE WELL DRILLING, LLC. (Contractor)
Address P.O. BOX 56 (Contractor)
PAHRUMP, NV 89041
Nevada contractor's license number issued by the State Contractor's Board 17563A
Nevada driller's license number issued by the Division of Water Resources, the on site driller 1812
Signed (By driller performing actual drilling on site or contractor)
Date JANUARY 24, 2000

DCNR/DIVR Received FEB 8 2000 LAS VEGAS OFFICE

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 3-91) (O)-627

I

WHITE - DIVISION OF WATER RESOURCES
CANARY - CLIENT'S COPY
PINK - WELL DRILLER'S COPY

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

OFFICE USE ONLY
Log No. 79288
Permit No.
Basin 162

NOTICE OF INTENT NO. 20057

1. OWNER HOLBROOK, SEAN
MAILING ADDRESS 2201 E BENNET
PAHRUMP, NV 89048

ADDRESS AT WELL LOCATION 2201 E BENNET

2. LOCATION NW 1/4 NW 1/4 Sec. 1 T 22S N/S R 53E E NYE County
PERMIT NO. Issued by Water Resources
41-371-08 Parcel No.
CALVADA VALLEY Subdivision Name

3. WORK PERFORMED
[X] New Well [ ] Replace [ ] Recondition
[ ] Deepen [ ] Abandon [ ] Other

4. PROPOSED USE
[X] Domestic [ ] Irrigation [ ] Test
[ ] Municipal/Industrial [ ] Monitor [ ] Stock

5. WELL TYPE
[ ] Cable [X] Rotary [ ] RVC
[ ] Air [ ] Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
CLAY		0	88	88
CALICHIE	WB	88	97	9
CLAY		97	117	20
CALICHE	WB	117	124	7
CLAY		124	134	10
CALICHIE	WB	134	140	6

MAR 21 2000

Date started 3/14/2000, 19__
Date completed 3/17/2000, 19__

7. WELL TEST DATA
TEST METHOD: [ ] Bailer [ ] Pump [ ] Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

8. WELL CONSTRUCTION
Depth Drilled 140 Feet Depth Cased 140 Feet

HOLE DIAMETER (BIT SIZE)

		From		To	
10.25	Inches	0	Feet	140	Feet
	Inches		Feet		Feet
	Inches		Feet		Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
6.625	3.63	.280	0	140

Perforations:
Type perforation SAW CUT
Size perforation 1/8 X 3
From 100 feet to 140 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

Surface Seal: [X] Yes [ ] No
Depth of Seal 50
Placement Method: [ ] Pumped [X] Poured
Seal Type: [ ] Neat Cement [ ] Cement Grout [X] Concrete Grout

Gravel Packed: [X] Yes [ ] No
From 50 feet to 140 feet

9. WATER LEVEL
Static water level 79 feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature °F Quality

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name GREAT BASIN DRILLING CO. OF NEVADA, INC. Contractor
Address P.O. BOX 4220 Contractor
PAHRUMP, NV. 89048
Nevada contractor's license number issued by the State Contractor's Board 47333
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1642
Signed By driller performing actual drilling on-site or contractor
Date 3/20/2000

USE ADDITIONAL SHEETS IF NECESSARY