


STATE OF NEVADA  
 DIVISION OF WATER RESOURCES

OFFICE USE ONLY  
 Log No. 83805  
 Permit No. \_\_\_\_\_  
 Basin \_\_\_\_\_



PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 383

1. OWNER Newmont Gold Corp. 66-459  
 MAILING ADDRESS P.O. Box 669  
Carlin, NV 89822

ADDRESS AT WELL LOCATION Gold Quarry minesite,  
about 10 miles NW of Carlin, NV.

2. LOCATION SW 1/4 SW 1/4 Sec. 2 T 33  
 PERMIT NO. 67304 Issued by Water Resources  
N/A Parcel No.

N/S R 51 E \_\_\_\_\_  
Eureka County  
N/A Subdivision Name

3. WORK PERFORMED  
 New Well  
 Deepen  
 Replace  
 Abandon  
 Recondition  
 Other \_\_\_\_\_

4. PROPOSED USE  
 Domestic  
 Municipal/Industrial  
 Irrigation  
 Monitor  
 Test  
 Stock

5. WELL TYPE  
 Cable  
 Air  
 Rotary  
 RVC  
 Other \_\_\_\_\_

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Light brown clay with traces of black and brown rock		0		
Dark brown clay with brown & black rock		135	135	135
Gray clay with some sand		155	275	120
Yellow clay some white clay		275	290	15
Light gray clay		290	340	50
Red & gray clay		340	390	50
Gray clay		390	420	30
Brown and red clay		420	455	35
Gray clay and gray rock		455	515	60
Brown clay		515	525	10
Gray clay and gray rock some black rock		525	575	50

8. WELL CONSTRUCTION

Depth Drilled 575 Feet Depth Cased 565 Feet

HOLE DIAMETER (BIT SIZE)

From	To
17.5 Inches	0 Feet 20 Feet
12.25 Inches	20 Feet 575 Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
13.375	52.065	0.375	0	20
8.625	22.36	0.250	+1	565

Perforations:  
 Type perforation Wire wrap  
 Size perforation 0.050"  
 From 60 feet to 560 feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No  
 Depth of Seal 50'  
 Placement Method:  Pumped  Poured  
 Seal Type:  Neat Cement  Cement Grout  Concrete Grout  
 Gravel Packed:  Yes  No  
 From 50 feet to 575 feet

9. WATER LEVEL  
 Static water level 147.8 feet below land surface  
 Artesian flow N/A G.P.M. \_\_\_\_\_ P.S.I. \_\_\_\_\_  
 Water temperature Cool °F Quality Good

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name Lang Exploratory Drilling Contractor  
 Address P.O. Box 5279 Contractor  
Elko, NV 89802-5279  
 Nevada contractor's license number issued by the State Contractor's Board 0021976  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2142  
 Signed \_\_\_\_\_  
 By driller performing actual drilling on-site or contractor  
 Date 5/15/01

Date started 5/7/2001, 19\_\_\_\_  
 Date completed 5/10/2001, 19\_\_\_\_

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift	<u>85.5</u>	<u>216.5</u>	<u>1 Hour</u>

1357.2