

STATE OF NEVADA  
 DIVISION OF WATER RESOURCES  
 WELL DRILLER'S REPORT

OFFICE USE ONLY  
 Log No. 87973  
 Permit No. 67919T 72196 (B)  
 Basin 105

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

Page 1 of 3  
 NOTICE OF INTENT NO. 50395

1. OWNER Genoa Lake Golf Course ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS \_\_\_\_\_  
Geno, NV NE 1/4 SE 1/4 Sec. 3 T 13N N/S R 19E E Douglas County  
 2. LOCATION NE 1/4 SE 1/4 Sec. 3 T 13N N/S R 19E E Douglas County  
 PERMIT NO. 67919T April 72196 filed to correct this. Subdivision Name \_\_\_\_\_  
 Issued by Water Resources Parcel No. \_\_\_\_\_

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other \_\_\_\_\_  
 4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
 5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG

| Material                            | Water Strata | From | To  | Thick-ness |
|-------------------------------------|--------------|------|-----|------------|
| Sand & gravel                       |              | 0    | 3   |            |
| clay                                |              | 3    | 9   | 6          |
| sand                                |              | 9    | 10  | 1          |
| clay                                |              | 10   | 25  | 15         |
| sand                                |              | 25   | 27  | 2          |
| sand & gravel                       |              | 27   | 28  | 1          |
| clay                                |              | 28   | 41  | 13         |
| clay w/gravel & sm.                 | x            | 41   |     |            |
| cobbles                             |              |      | 54  | 13         |
| sand/gravel/cobbles                 | x            | 54   | 117 | 63         |
| sand/gravel w/cobbles & little clay | x            | 117  |     |            |
| sand/gravel/cobbles                 | x            | 121  | 142 | 21         |
| clay                                |              | 142  | 147 | 5          |
| sand/gravel/cobbles                 | x            | 147  | 157 | 10         |
| clay w/sand & cobbles               | x            | 157  | 159 | 2          |
| tan clay/cobbles                    | x            | 159  | 165 | 6          |
| br. clay                            | x            | 165  |     |            |
| w/sand/gravel/cobbles               |              |      | 173 | 8          |
| orange clay                         | x            | 173  |     |            |
| w/sand/gravel/cobbles               |              |      | 174 | 1          |
| sand & gravel w/cobbles             | x            | 174  | 180 | 6          |
| sand & gravel w/clay                |              | 180  |     |            |
| layers                              |              |      | 184 | 4          |
| sand & gravel w/cobbles             | x            | 184  | 193 | 9          |
| br. clay w/sand & gravel            | x            | 193  | 205 | 12         |

Continued on next page

8. WELL CONSTRUCTION  
 Depth Drilled 415 Feet Depth Cased 415 Feet  
 HOLE DIAMETER (BIT SIZE)  

|              | From  | To    |
|--------------|-------|-------|
| 36 inches    | 0     | 100   |
| 28 inches    | 100   | 415   |
| _____ inches | _____ | _____ |

 CASING SCHEDULE  

| Size O.D. (Inches) | Weight/Ft. (Pounds) | Wall Thickness (Inches) | From (Feet) | To (Feet) |
|--------------------|---------------------|-------------------------|-------------|-----------|
| 30                 |                     | .312                    | 0           | 100       |
| 28                 |                     | .250                    | 0           | 100       |
| 28                 |                     | .250                    | 140         | 150       |
| 28                 |                     | .250                    | 399         | 409       |

 Perforations:  
 Type perforation Johnson well screen  
 Size perforation .100  
 From 100 feet to 140 feet  
 From 150 feet to 399 feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Surface Seal:  Yes  No Seal Type:  
 Depth of Seal 100  Neat Cement  
 Placement Method:  Pumped  Cement Grout  
 Poured  Concrete Grout  
 Gravel Packed:  Yes  No  
 From 0 feet to 415 feet

Date started 5/14/02 \_\_\_\_\_ 19\_\_\_\_  
 Date completed 5/22/02 \_\_\_\_\_ 19\_\_\_\_

7. WELL TEST DATA

| TEST METHOD:   | TEST METHOD: |                               | Time (Hours) |
|--|--------------|-------------------------------|--------------|
|  | G.P.M.       | Draw Down (Feet Below Static) |              |
| <input type="checkbox"/> Baller <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Air Lift |              |                               |              |
| P/L 333  | 338          | 333                           | 48 hrs.      |
|  |              |                               |              |
|  |              |                               |              |

9. WATER LEVEL  
 Static water level flowing \_\_\_\_\_ feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name Humboldt Drilling & Pump Co., Inc. Contractor  
 Address 4675 W. Winnemucca Blvd Contractor  
Winnemucca, Nevada 89445  
 Nevada contractor's license number issued by the State Contractor's Board 015234  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1572  
 Signed Juan G. Tompl  
 By driller performing actual drilling on-site or contractor  
 Date 6/15/02

STATE OF NEVADA  
 DIVISION OF WATER RESOURCES  
**WELL DRILLER'S REPORT**

OFFICE USE ONLY  
 Log No. 97973  
 Permit No. 67919T  
 Basin 105

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

Page 2 of 3

NOTICE OF INTENT NO. 50395

1. OWNER Genoa Lake Golf Course ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS \_\_\_\_\_  
Geno, NV

2. LOCATION NE 1/4 SE 1/4 Sec. 3 T 13N N/S R 19E E \_\_\_\_\_ Douglas County  
 PERMIT NO. 67919T Issued by Water Resources Parcel No. \_\_\_\_\_ Subdivision Name \_\_\_\_\_

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other \_\_\_\_\_

4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG

| Material                            | Water Strata | From | To  | Thickness |
|-------------------------------------|--------------|------|-----|-----------|
| sand/gravel w/clay layers           | x            | 205  | 208 | 3         |
| sand & gravel w/cobbles             | x            | 208  | 216 | 8         |
| sand/gravel w/cobbles & clay layers | x            | 216  | 240 | 24        |
| cobbles/boulders                    | x            | 240  | 245 | 5         |
| sand/gravel w/cobbles               | x            | 245  | 249 | 4         |
| sand & gravel w/clay                | x            | 249  | 258 | 9         |
| clay w/gravel                       |              | 258  | 265 | 7         |
| sand & gravel                       | x            | 265  | 267 | 2         |
| clay                                |              | 267  | 273 | 6         |
| sand & gravel w/clay                | x            | 273  | 282 | 9         |
| sand & gravel w/cobbles             | x            | 282  | 295 | 13        |
| sand & gravel w/clay                | x            | 295  | 300 | 5         |
| clay w/sand                         |              | 300  | 303 | 3         |
| sand & gravel w/cobbles             | x            | 303  | 306 | 3         |
| sand & gravel w/clay                | x            | 306  | 311 | 5         |
| sand & gravel w/cobbles             | x            | 311  | 320 | 9         |
| clay w/little gravel                | x            | 320  | 325 | 5         |
| sand & gravel w/cobbles             | x            | 325  | 341 | 16        |
| clay w/sand                         |              | 341  | 351 | 10        |
| sand & gravel w/cobbles             | x            | 351  | 355 | 4         |
| clay w/sand                         |              | 355  | 357 | 2         |
| sand & gravel                       |              | 357  | 359 | 2         |
| clay                                |              | 359  | 360 | 1         |
| hard rock                           |              | 360  | 363 | 3         |

Continued on next page

8. WELL CONSTRUCTION

Depth Drilled \_\_\_\_\_ Feet Depth Cased \_\_\_\_\_ Feet

HOLE DIAMETER (BIT SIZE)

| From         |            | To         |            |
|--------------|------------|------------|------------|
| _____ Inches | _____ Feet | _____ Feet | _____ Feet |
| _____ Inches | _____ Feet | _____ Feet | _____ Feet |
| _____ Inches | _____ Feet | _____ Feet | _____ Feet |

CASING SCHEDULE

| Size O.D. (Inches) | Weight/Ft. (Pounds) | Wall Thickness (Inches) | From (Feet) | To (Feet) |
|--------------------|---------------------|-------------------------|-------------|-----------|
|                    |                     |                         |             |           |
|                    |                     |                         |             |           |
|                    |                     |                         |             |           |
|                    |                     |                         |             |           |

Perforations:  
 Type perforation \_\_\_\_\_  
 Size perforation \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  Neat Cement  
 Depth of Seal \_\_\_\_\_  Cement Grout  
 Placement Method:  Pumped  Poured  Concrete Grout

Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Date started 5/14/02, 19\_\_\_\_  
 Date completed 5/22/02, 19\_\_\_\_

9. WATER LEVEL

Static water level \_\_\_\_\_ feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

7. WELL TEST DATA

| TEST METHOD: | Bailer |                               | Pump   |              | Air Lift |              |
|--------------|--------|-------------------------------|--------|--------------|----------|--------------|
|              | G.P.M. | Draw Down (Feet Below Static) | G.P.M. | Time (Hours) | G.P.M.   | Time (Hours) |
|              |        |                               |        |              |          |              |
|              |        |                               |        |              |          |              |
|              |        |                               |        |              |          |              |
|              |        |                               |        |              |          |              |

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Humboldt Drilling & Pump Co., Inc. Contractor  
 Address 4675 W. Winnemucca Blvd Contractor  
Winnemucca, Nevada 89445

Nevada contractor's license number issued by the State Contractor's Board 015234  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1572

Signed \_\_\_\_\_ By driller performing actual drilling on-site or contractor  
 Date 6/15/02

