


STATE OF NEVADA
 DIVISION OF WATER RESOURCES

OFFICE USE ONLY

Log No. 90530

Permit No. _____

Basin 059



WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 49277

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

1. OWNER Newmont Mining Corporation **DW-3** ADDRESS AT WELL LOCATION McCoy/Cove minesite,
 MAILING ADDRESS P.O. Box 669 south of Battle Mountain, NV
Carlin, NV 89822

2. LOCATION SE 1/4 SW 1/4 Sec. 36 T 29N N/S R 42E E Lander County
 PERMIT NO. W-303 N/A N/A
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED New Well Replace Recondition Deepen Abandon Other _____
 4. PROPOSED USE Domestic Irrigation Test Monitor Municipal/Industrial Stock
 5. WELL TYPE Cable Rotary RVC Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
+Note: Construction data are taken from the original driller's report. Any missing data are due to those data not being given on the original.				
Abandoned by pumping abantonite via tremie from T.D. until it would rise no more in the well. Poured hole plug, then pumped bentonite cement, poured SAG mill reject rock and capped with concrete grout.				
Quantities Used:				
Concrete: 27.9 cu.ft.		0	20	
SAG reject: 273.7 cu.ft.		20	216	
Bentonite cement: 1150.8 cu.ft.		216	519	
Hole plug: 33.81 cu.ft.		519	543	
Abantonite: 1945.1 cu.ft.		543	1532	

Date started 7/22/2003 19
 Date completed 7/26/2003 19

7. WELL TEST DATA

Draw Down (Feet Below Static)	Time (Hours)

Bailer Pump Air Lift

RECEIVED
 03 AUG - 1 PM 12:39
 STATE ENGINEERS OFFICE

8. WELL CONSTRUCTION

Depth Drilled 1532 Feet Depth Cased 1522 Feet

HOLE DIAMETER (BIT SIZE)

Inches	From	To	Feet
<u>40</u>	<u>0</u>	<u>50</u>	<u>Feet</u>
<u>27.5</u>	<u>50</u>	<u>958</u>	<u>Feet</u>
<u>21.5</u>	<u>958</u>	<u>1532</u>	<u>Feet</u>

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>30</u>			<u>0</u>	<u>50</u>
<u>22</u>			<u>0</u>	<u>958</u>
<u>16</u>	<u>52.27</u>	<u>0.312</u>	<u>+1</u>	<u>1522</u>

Perforations:

Type perforation Louwer
 Size perforation 0.125"

From	To	Feet
<u>263</u>	<u>542</u>	<u>feet to feet</u>
<u>943</u>	<u>1501</u>	<u>feet to feet</u>
		<u>feet to feet</u>
		<u>feet to feet</u>
		<u>feet to feet</u>

Surface Seal: Yes No Seal Type: Neat Cement Cement Grout Concrete Grout
 Depth of Seal 50'
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From 929 feet to 1532 feet

9. WATER LEVEL
 Static water level 525 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F. Quality _____

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Lang Exploratory Drilling Contractor
 Address P.O. Box 5279 Contractor
Elko, NV 89802-5279
 Nevada contractor's license number issued by the State Contractor's Board 0021976
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2085-T1
 Signed Darrel Hanzman
By driller performing actual drilling on-site or contractor
 Date 7/29/03

B. ST. L.