

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

R-1212  
 NOTICE OF INTENT NO. 25200

1. OWNER M<sup>c</sup>Bride, Ramon ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS 5063 TITANIUM AVE SAME  
LAJ VEGAS  
 2. LOCATION NE 1/4 NW 1/4 Sec. 29 T. 21 N. R. 62 E CLARK County  
 PERMIT NO. No LUG 161-29-111-028 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other PLUG

4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
<u>PUMP 2 YARDS OF NEAT CEMENT FROM BOTTOM TO SURFACE</u>				
<u>CUT CASING AT 5' AND RACED</u>				
<u>PLUGGING OF LOG # 59313</u>				
<u>PLUGGED BY <u>ORIG</u> PLUG LOG # <u>59313</u></u>				

8. WELL CONSTRUCTION  
 Depth Drilled \_\_\_\_\_ Feet Depth Cased 100 Feet per log  
 HOLE DIAMETER (BIT SIZE)  
 From \_\_\_\_\_ To \_\_\_\_\_  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:  
 Type perforation \_\_\_\_\_  
 Size perforation \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
 Neat Cement  
 Cement Grout  
 Concrete Grout  
 Depth of Seal \_\_\_\_\_  
 Placement Method:  Pumped  Poured  
 Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level ARTESIAN feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

Date started 8-25, 2003  
 Date completed 9-4, 2003

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift			

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name B. L. WEBER GROUP, INC Contractor  
 Address 4145 AEGLE SPRING Contractor  
LAJ VEGAS NV 89115  
 Nevada contractor's license number issued by the State Contractor's Board 035639  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller R-PL002200  
 Signed Allen L. Hodgson  
 By driller performing actual drilling on site or contractor  
 Date 10-25-03

1000

1000

1000

# Las Vegas Valley Groundwater Management Program

August 28, 2002

Ra Mon McBride  
5063 Titanium Avenue  
Las Vegas, Nevada 89120

21-62-29

Dear Mr. McBride:

SUBJECT: GMP WELL PLUGGING AND ABANDONMENT-5063 TITANIUM AVE.- GMP  
#15530, WELL LOG #59313

Thank you for your interest in the Las Vegas Valley Groundwater Management (GMP) Well Plugging and Abandonment Grant Program. I have received your completed Application and Temporary Right of Entry for plugging and abandonment under the Program. GMP staff has confirmed that an abandoned well is located on your property which is no longer in use.

I am pleased to inform you that this well has met the criteria for plugging and abandonment under the Program guidelines. There is no charge to you for the plugging and abandonment under the Program.

Most plugging and abandonments are completed within 5 days upon commencement. In order to assure that the plugging and abandonment construction will be expedited please remove all personal items not relating to the well from around the well for access by the construction crew. For example: tools and other items stored in the pump house; horse corrals that will limit access to the well, recreational equipment, etc.

Your plugging and abandonment will be scheduled by our contractor, Weber Group. You will be contacted by a representative of Weber to confirm the scheduled work date and to inquire as to the accessibility of the well. In addition to the construction crew, an inspector representing the GMP as well as a representative from the Nevada State Engineer's Office will be on hand to oversee the plugging and abandonment.

A *STANDARD* plugging and abandonment is scheduled for your well. A *STANDARD* plugging and abandonment involves removal of the submerged pump, pump column, the concrete well pad or a portion of the pad, and any well casing that may be removed. Please note: in certain circumstances submerged pumps may not be removed. As an additional service, these items will be hauled from your property at no



Mr. McBride  
August 28, 2002  
Page 2

charge to you at the time of the plugging and abandonment. If you would like any or all of these components to remain on your property, please indicate so on the bottom of Page 2 and return to this office within 15 days.

If you have any questions regarding your well plugging and abandonment or the Las Vegas Valley Groundwater Management Program, please feel free to telephone me at 822-3317.

Sincerely,



Judy Laws  
Management Analyst

JL:pe

C: Randy Goodwill, LVVWD Construction  
Robert Coache, Nevada Division of Water Resources  
Walter Candelaria, Nevada Division of Water Resources

Please leave the following checked item(s) on my property upon completion of the plugging and abandonment of my well:

- |   |                                       |
|---|---------------------------------------|
| <input type="checkbox"/> Submerged Pump | <input type="checkbox"/> Pump Column  |
| <input type="checkbox"/> Well Casing    | <input type="checkbox"/> Concrete Pad |

Signature \_\_\_\_\_ Date \_\_\_\_\_

Address \_\_\_\_\_

GMP #15530

Return to:  
Judy Laws  
Las Vegas Valley Groundwater Management Program  
1900 E. Flamingo Rd. Suite 255  
Las Vegas, NV 89119



-----



-----

10/1/77  
10/1/77  
10/1/77  
10/1/77

