


STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
 Log No. 91556
 Permit No. 55139
 Basin 61



PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 52568

1. OWNER Barrick Goldstrike Mines BW-17 ADDRESS AT WELL LOCATION Barrick Gold minesite,
 MAILING ADDRESS P.O. Box 29 north of Carlin, NV.
Elko, NV 89803

2. LOCATION NE 1/4 SW 1/4 Sec. 24 T 36N N/S R 49 E Eureka County
 PERMIT NO. 55139 Issued by Water Resources Parcel No. N/A Subdivision Name N/A

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Abandoned by pumping abantonite via tremie from T.D. to 1780', where it would rise no further. Then poured hole plug and pumped abantonite to 1200', placed cement bridge plug to 1136', then poured hole plug while pumping abantonite to 815', placed another cement plug to 798'. Back-filled with clean gravel to surface.				
Quantities Used:				
Fill: 2507 cu.ft.				
Cement: 211 cu.ft.				
Hole plug: 2090 cu.ft.				
Abantonite: 5120 cu.ft.				

Date started 12/13/2003 . 19
 Date completed 12/15/2003 . 19

7. WELL TEST DATA

TEST METHOD:	<input type="checkbox"/> Bailer	<input type="checkbox"/> Pump	<input type="checkbox"/> Air Lift
G.P.M.	Draw Down (Feet Below Static)	Time (Hours)	

8. WELL CONSTRUCTION

Depth Drilled 2095 Feet Depth Cased 2093 Feet

HOLE DIAMETER (BIT SIZE)

Inches	From	To	Feet
<u>39</u>	<u>0</u>	<u>22</u>	<u>Feet</u>
<u>31</u>	<u>22</u>	<u>1624</u>	<u>Feet</u>
<u>19</u>	<u>1624</u>	<u>2095</u>	<u>Feet</u>

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>32</u>	<u>136</u>	<u>0.375</u>	<u>0</u>	<u>20</u>
<u>24</u>	<u>94.61</u>	<u>0.375</u>	<u>0</u>	<u>1595</u>
<u>16.5</u>	<u>64.58</u>	<u>0.375</u>	<u>1570</u>	<u>2093</u>

Perforations:
 Type perforation Screen and Louver
 Size perforation 0.06"

From Screen: 865 feet to 1595 feet
 From Louwer: 1570 feet to 2093 feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
 Depth of Seal 70' Neat Cement
 Placement Method: Pumped Cement Grout
 Poured Concrete Grout

Gravel Packed: Yes No
 From 70 feet to 1561 feet

9. WATER LEVEL
 Static water level 1780 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Lang Exploratory Drilling Contractor
 Address P.O. Box 5279 Contractor
Elko, NV 89802-5279

Nevada contractor's license number issued by the State Contractor's Board 0021976

Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1410

Signed John Viergutz
 By driller performing actual drilling on-site or contractor

Date 12/18/03

B.S.L.