



Log No. 91633  
 Permit No. \_\_\_\_\_  
 Basin 289

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

*AS BAAID*

**WELL DRILLER'S REPORT**

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 48415

1. OWNER RON TAYLOR ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS 450 Hwy 395N 4105 Partridge Lane  
Carson City, Nevada 89704 Carson City, Nevada 89704  
 2. LOCATION NE 1/4 NW 1/4 Sec 5 T 16N N/S R 20 F Washoe County \_\_\_\_\_  
 PERMIT NO. R-439 050-413-17 New Washoe Valley City #5 Lot 11 block P  
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other \_\_\_\_\_  
 4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
 5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG				
Material	Water Strata	From	To	Thickness
<b>WELL ABANDONMENT/PLUGGING</b>				
6-4-03				
Measure Static Water Level @80 feet				
Measure Total Depth @106 feet				
Evidence of cement seal around outside casing at surface.				
This well is located inside garage. No access to well with equipment.				
Use flexible hose to tremie cement to bottom of well, as per Tim Hunts instructions.				
Mix & pump 18 sacks cement to fill casing to surface.				
6-5-03				
Check cement level @6 feet				
Check water level @4 feet				
Bail water out. Fill casing to surface with 1 sack cement.				
Equipment used:				
Ford LT9000 Rig tender/Water Truck				
Ford F-450 Support Truck				
High pressure cement pump				
Cement Mixer				
Generator				
Materials used:				
19 sacks Portland Cement Type II				
Date started <u>6-4-03 19</u>				
Date completed <u>6-5-03 19</u>				

8. WELL CONSTRUCTION  
 Depth Drilled \_\_\_\_\_ Feet Depth Cased \_\_\_\_\_ Feet  
 HOLE DIAMETER (BIT SIZE)  
 From \_\_\_\_\_ To \_\_\_\_\_  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:  
 Type perforation \_\_\_\_\_  
 Size perforation \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
 Neat Cement  
 Cement Grout  
 Concrete Grout  
 Depth of Seal \_\_\_\_\_  
 Placement Method:  Pumped  Poured  
 Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level \_\_\_\_\_ feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name WAYNE DRILLING, INC. Contractor  
 Address P.O. BOX 12370  
RENO, NEVADA 89510 Contractor  
 Nevada contractor's license number 0022549 issued by the State Contractor's Board  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 923  
 Signed [Signature]  
 Date June 5, 2003

7. WELL TEST DATA			
TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift			
Location:			
<u>36 feet to East parcel boundry</u>			
<u>86 feet to south parcel boundry</u>			