

OFFICE USE ONLY
 Log No. 72164
 Permit No. _____
 Basin 104

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 53389

1. OWNER Las Vegas Pavilion
 MAILING ADDRESS 4920 S. Delatun Las Vegas NV
 ADDRESS AT WELL LOCATION ON LONDA NORTH WEST SIDE - SOUTH OF NORTH RIDGE
 2. LOCATION SW 1/4 NW 1/4 Sec 09 T. 15 N. R. 20 E. County
 PERMIT NO. DEW-43 Issued by Water Resources Parcel No. _____ Subdivision Name Carson City NV

3. WORK PERFORMED Dewatering
 New Well Replace Recondition Deepen Abandon Other _____
 4. PROPOSED USE Temp Dewater.
 Domestic Irrigation Test Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC Air Other Bucket

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
<u>FILL</u>		<u>0</u>	<u>2</u>	
<u>Sand</u>	<u>5</u>	<u>2</u>	<u>8</u>	
<u>Dirty Sand</u>		<u>8</u>	<u>15</u>	
<u>Silty Sand</u>		<u>15</u>	<u>30</u>	
<u>Clay Sand MX</u>		<u>30</u>	<u>40</u>	

8. WELL CONSTRUCTION
 Depth Drilled 40 Feet Depth Cased 40 Feet
 HOLE DIAMETER (BIT SIZE)
 From 24 Inches To 40 Feet
 _____ Inches _____ Feet
 _____ Inches _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>6"</u>	<u>SDR 21</u>	<u>F 490</u>	<u>0</u>	<u>40</u>

Perforations:
 Type perforation Slot
 Size perforation .032
 From 10 feet to 40 feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Bentonite Seal Seal Type:
 Depth of Seal 0.5 to Surface Neat Cement Cement Grout Concrete Grout
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From 0.5 feet to 40 feet

9. WATER LEVEL
 Static water level 5 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature cool °F Quality Good

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Bobbin Dewatering Contractor
 Address 500 E MAILAND Contractor
MARIO CA 92461
 Nevada contractor's license number 31246 issued by the State Contractor's Board
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller: ABDS-24SD
 Signed Ed Bain
 By driller performing actual drilling on site or contractor
 Date 2-4-04

Date started 2-4
 Date completed 2-4

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift			

RECEIVED
 04 FEB 11 PM 4:33
 STATE ENGINEERS OFFICE