Davis (158)

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

OFFICE USE ONLY
Log No. 94256
Permit No.
Basin 101

NOTICE OF INTENT NO. 12955

1. OWNER U.S. Fish and Wild life Service
MAILING ADDRESS 1000 Auction Rd. Fallon NV 89406
ADDRESS AT WELL LOCATION 2180 Testolin Rd

2. LOCATION SE ¼ NE ¼ Sec. 5 T. 18 N/S R. 29 E. Churchill County
PERMIT NO. M/O-1334 (Issued by Water Resources) | 06-671-55 (Parcel No.) | Subdivision Name

3. WORK PERFORMED
☒ New Well ☐ Replace ☐ Recondition
☐ Deepen ☐ Abandon ☐ Other

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal/Industrial ☒ Monitor ☐ Stock

5. WELL TYPE
☐ Cable ☐ Rotary ☐ RVC
☐ Air ☐ Other Auger

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Silt + Fine Sand		0	4	4
Medium to Coarse Sand	X	4	11	87
Stiff gray clay		11	12	1

RECEIVED 04 SEP 10 AM 8:32 STATE ENGINEERS OFFICE

Date started 8/31, 2004
Date completed 8/31, 2004

7. WELL TEST DATA
TEST METHOD: ☒ Bailer ☐ Pump ☐ Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
0.8	0.8	0.5

8. WELL CONSTRUCTION
Depth Drilled 12 Feet Depth Cased 12 Feet

HOLE DIAMETER (BIT SIZE)

Inches	From (Feet)	To (Feet)
6 5/8	0	12

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
2.0		Sched 40		

Perforations:
Type perforation Machine slot
Size perforation 0.01
From 7 feet to 12 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

Surface Seal: ☒ Yes ☐ No
Depth of Seal 4 ft
Placement Method: ☐ Pumped ☒ Poured
Seal Type: ☒ Neat Cement ☐ Cement Grout ☐ Concrete Grout Bentonite

Gravel Packed: ☒ Yes ☐ No
From 4 feet to 12 feet

9. WATER LEVEL
Static water level 5.7 feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature °F Quality

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Doug Maurer
Address USGS-WRD 333 W. Nye Ln. Carson City, NV 89706 (Contractor)
Nevada contractor's license number issued by the State Contractor's Board
Nevada driller's license number issued by the Division of Water Resources, the on-site driller FP-1522
Signed Doug M Maurer (By driller performing actual drilling on site or contractor)
Date 9/9/04

(Rev. 12-01) USE ADDITIONAL SHEETS IF NECESSARY (O)-627

Vicinity Map
Davis (158)





Grimes Point Quad
Treatment Facility
Borrow Pit
T19N
T18N
BM2 1204.9
27'30"
4-96
Borrow Pit
BM1 1203.5
Davis (158)
4-54
1198.8
1202.8
L A H O N T A N
BM F19 1200.4
1202T
DRUMM LANE
1200.9
BM C372 1202.2
1199T
4-97
1203T
1199T
4-53
1197.7
1201.2
1202T
Radio Facility
LOWER DIAGONAL NO 1
Tank
BM F24 1198.9
1199T
BM F80 1197.0
1201T
FALLON
BM B372 1199.3
Control Tower
4-98
NAVAL AIR STATION