


STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT



OFFICE USE ONLY

Log No. 95618

Permit No. _____

Basin 061

pg 1

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 54778

1. OWNER Newmont Mining Corporation HDDW-9 ADDRESS AT WELL LOCATION Leeville minesite, about 25 miles north of Carlin, Nevada.
 MAILING ADDRESS P.O. Box 669
Carlin, NV 89822

2. LOCATION SW 1/4 SW 1/4 Sec. 2 T 35N N/S R 50 E Eureka County
 PERMIT NO. 63987 Parcel No. N/A Subdivision Name N/A
Issued by Water Resources

3. WORK PERFORMED
 New Well Replace Recondition Deepen Abandon Other _____
 4. PROPOSED USE
 Domestic Irrigation Test Monitor Stock Municipal/Industrial
 5. WELL TYPE
 Cable Rotary RVC Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Fill		0	80	80
Coluvium		80	110	30
Clay gouge		110	145	35
Fractured siliceous mudstone		145		
Clay gouge		215	225	10
Dark gray siliceous mudstone		225		
Clay gouge		270	285	15
Dark gray siliceous mudstone		285		
Clay gouge		335	345	10
Dark gray siliceous mudstone		345		
Clay gouge		395	405	10
Dark gray siliceous mudstone		405		
Quartz hornfels		465	475	10
Dark gray siliceous mudstone		475		
Fault with gouge, intrusive and hornfels chips		485		
Dark gray siliceous mudstone		515	515	30
Clay gouge		555	575	20
Dark gray-buff siliceous mudstone		575		
Clay gouge		645	655	10
Dark gray-buff siliceous mudstone		655		
Clay gouge		900	905	5

Date started 11/22/2004, 19____
 Date completed 2/12/2005, 19____

7. WELL TEST DATA

TEST METHOD:	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift		
G.P.M. <u>213</u>	<u>Not Meas.</u>	<u>1.0</u>

8. WELL CONSTRUCTION
 Depth Drilled 2694 Feet Depth Cased 2694 Feet

HOLE DIAMETER (BIT SIZE)

Inches	From	To	Feet
<u>46</u>	<u>0</u>	<u>120</u>	<u>Feet</u>
<u>38</u>	<u>120</u>	<u>1079</u>	<u>Feet</u>
<u>31</u>	<u>1079</u>	<u>2102</u>	<u>Feet</u>

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>50</u>	<u>394.5</u>	<u>0.5</u>	<u>0</u>	<u>17</u>
<u>40</u>	<u>210.9</u>	<u>0.5</u>	<u>0</u>	<u>120</u>
<u>34</u>	<u>178.9</u>	<u>0.5</u>	<u>0</u>	<u>1079</u>

Perforations:

From	To	Feet
<u>390.95</u>	<u>410.97</u>	<u>feet to feet</u>
<u>759.86</u>	<u>779.81</u>	<u>feet to feet</u>
<u>1132.84</u>	<u>1152.84</u>	<u>feet to feet</u>
<u>1430.00</u>	<u>1470.01</u>	<u>feet to feet</u>
<u>1781.22</u>	<u>2694.00</u>	<u>feet to feet</u>

Surface Seal: Yes No Seal Type: Neat Cement Cement Grout Concrete Grout
 Depth of Seal 200'
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From 200 feet to 2089.63 feet

9. WATER LEVEL
 Static water level 1673 feet below land surface
 Artesian flow N/A G.P.M. _____ P.S.I. _____
 Water temperature Warm °F Quality Good

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Lang Exploratory Drilling Contractor
 Address P.O. Box 5279 Contractor
Elko, NV 89802-5279
 Nevada contractor's license number issued by the State Contractor's Board 0021976
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2233
 Signed Berry Padgett
 By driller performing actual drilling on-site or contractor
 Date 2/22/05

USE ADDITIONAL SHEETS IF NECESSARY

Plugged by well log 121768

BSTL

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
 Log No. _____
 Permit No. _____
 Basin _____

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. **54778+**

1. OWNER **Mewmont Mining Corporation HDDW-9 Page Two** ADDRESS AT WELL LOCATION **Leeville minesite, about**
 MAILING ADDRESS **P.O. Box 669** **25 miles north of Carlin, Nevada**
Carlin, NV 89822

2. LOCATION **SW 1/4 SW 1/4 Sec. 2 T 35N** N/S R **50 E** **Eureka** County
 PERMIT NO. **63987** **N/A**
Issued by Water Resources Parcel No. Subdivision Name

3. **WORK PERFORMED** New Well Replace Recondition Deepen Abandon Other _____
 4. **PROPOSED USE** Domestic Irrigation Test Municipal/Industrial Monitor Stock
 5. **WELL TYPE** Cable Rotary RVC Air Other _____

6. **LITHOLOGIC LOG**

Material	Water Strata	From	To	Thick-ness
Dark gray silty limestone and calcarenite		905		
White-light gray marble		975	1020	45
Bleached siliceous mudstone		1020	1030	10
Fault zone gouge		1030	1050	20
Gray-brown siliceous mudstone		1050	1070	20
Gray siliceous mudstone and silty limestone		1070	1095	25
Light gray marble		1095	1150	55
Dark gray silty limestone		1150	1175	25
Clay gouge		1175	1185	10
Dark gray silty limestone		1185	1225	40
Dark gray siliceous mudstone		1225	1235	10
Fault zone		1235	1255	20
Dark gray siliceous mudstone		1255	1310	55
Quartz hornfels		1310	1355	45
Dark gray siliceous mudstone		1355	1455	100
Sandstone		1455	1465	10
Dark gray siliceous mudstone and sandstone		1465	1510	45
Dark gray limestone		1510	1855	345

Continued on next page
 Date started **11/22/2004**, 19____
 Date completed **2/12/2005**, 19____

7. **WELL TEST DATA**

TEST METHOD:	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift		
G.P.M.		

8. **WELL CONSTRUCTION**
 Depth Drilled _____ Feet Depth Cased _____ Feet
HOLE DIAMETER (BIT SIZE)
 From **22** Inches To **2102** Feet **2694** Feet
 _____ Inches _____ Feet _____ Feet
 _____ Inches _____ Feet _____ Feet
CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
24	125.50	0.5000	0	78
24	94.60	0.3750	78	2101
18	59.03	0.3125	2101	2694

Perforations:
 Type perforation _____
 Size perforation _____
 From _____ feet to _____ feet
 Surface Seal: Yes No Seal Type: Neat Cement Cement Grout Concrete Grout
 Depth of Seal _____
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From _____ feet to _____ feet

9. **WATER LEVEL**
 Static water level _____ feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

10. **DRILLER'S CERTIFICATION**
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name **Lang Exploratory Drilling** Contractor
 Address **P.O. Box 5279** Contractor
Elko, NV 89802-5279
 Nevada contractor's license number issued by the State Contractor's Board **0021976**
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller _____
 Signed _____
By driller performing actual drilling on-site or contractor
 Date **2/22/05**

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
 Log No. _____
 Permit No. _____
 Basin _____

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. **54778+**

1. OWNER **Mewmont Mining Corporation HDDW-9**
 MAILING ADDRESS **P.O. Box 669**
Carlin, NV 89822

ADDRESS AT WELL LOCATION **Leeville minesite, about**
25 miles north of Carlin, Nevada

2. LOCATION **SW** 1/4 **SW** 1/4 Sec. **2** T **35N**
 PERMIT NO. **63987** Parcel No. **N/A**
Issued by Water Resources Subdivision Name

N/S R **50** E **Eureka** County
N/A

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Altered intrusive and limestone		1855	1875	20
Bleached limestone		1875	1945	70
Fault zone		1945	1960	15
Gray silty limestone		1960	2145	185
Fault with quartz		2145	2160	15
Gray silty limestone		2160	2345	185
Fractured silty limestone with calcite veining			2380	35
Gray silty limestone		2380	2694	314

Construction Notes:

1. 50" casing was cased into fill.

2. Annulus of both the 40" and 34" casings cemented from bottom to top.

3. 24" casing was cemented inside and out. 2089 2101

4. 18" casing was placed with a back off tool; as a result, it is not gravel packed.

Date started **11/22/2004**, 19
 Date completed **2/12/2005**, 19

7. WELL TEST DATA

TEST METHOD:	Bailer	Pump	Air Lift
G.P.M.	Draw Down (Feet Below Static)	Time (Hours)	

8. WELL CONSTRUCTION

Depth Drilled _____ Feet Depth Cased _____ Feet

HOLE DIAMETER (BIT SIZE)

Inches	Feet	Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:

Type perforation _____
 Size perforation _____
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type: Neat Cement
 Depth of Seal _____ Cement Grout
 Placement Method: Pumped Concrete Grout
 Poured
 Gravel Packed: Yes No
 From _____ feet to _____ feet

9. WATER LEVEL

Static water level _____ feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name **Lang Exploratory Drilling**
 Contractor

Address **P.O. Box 5279**
 Contractor

Elko, NV 89802-5279

Nevada contractor's license number issued by the State Contractor's Board **0021976**

Nevada driller's license number issued by the Division of Water Resources, the on-site driller _____

Signed _____
 By driller performing actual drilling on-site or contractor

Date **2/22/05**