

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

96024
 Log No. 2186
 Rec. MARCH 25 1953
 Well No. _____
 Permit No. _____
 Do not fill in

Owner Henry Filippini Driller Louis Clarkson

Address Rattle Mtn Nev. Address Elko Nev. Lic. No. 4

Location of well: N.W. 1/4 SW 1/4 Sec. 5, T. 25 N/S, R. 45 E, in Lander County

Water will be used for stock Total depth of well 205 ft

Size of drilled hole 6" Weight of casing per linear foot 19

Thickness of casing 5/8" Temp. of water _____

Diameter and length of casing 6" 196'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. Flows 1 gal per min 1 ft above surface

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 3-11-53 Date of completion of well 3-18-53

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
	12	12	Yellow Clay	
12	24	12	Gravel	
24	147	123	Yellow Clay	Chief aquifer (water-bearing formation)
147	157	4	Gravel	from <u>153</u> to <u>188</u> ft.
157	185	34	Yellow Clay	Other aquifers <u>12-24</u>
185	188	3	Gravel	<u>147-157</u>
188	205	17	Sandy yellow clay	
				First water at <u>124</u> feet.
				Casing perforated
				from <u>153</u> to <u>192</u> ft.
				Size of perforations
				<u>1/8 x 5"</u>

