

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

96050
5-5-63

Log No. 96050
 Rec. Nov. 14 1960
 Well No. _____
 Permit No. _____

Do not fill in

Owner Temoak Bands Shoshone Indians Driller J. B. Reynolds

Address Lee Address Fallon Lic. No. 28

Location of well: NW 1/4 NW 1/4 Sec. 31, T. 33. N. 8, R. 56 E, in Elko County
 or Ten mile well

Water will be used for livestock Total depth of well 129 ft.

Size of drilled hole 6" Weight of casing per linear foot 24 lb

Thickness of casing 5/16" Temp. of water cold

Diameter and length of casing 6" X 129'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 40

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 11/5/60 Date of completion of well 11/7/60

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	16	16	silt & sand	
16	47	31	clay & sand	Chief aquifer (water-bearing formation) from <u>110</u> to <u>129</u> ft.
47	50	3	granite sand	Other aquifers _____
50	75	25	clay & sand mixture thin layers clay & sand	<u>47- 50</u>
75	90	15	thin layers clay & sand	<u>75- 90</u>
90	110	20	clay & sand	
110	129	19	sand & gravel	First water at <u>47</u> feet.
				Casing perforated from <u>40</u> to <u>129</u> ft.
				Size of perforations <u>1/4" X 6"</u>



