

(B11020 WE11)

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 96715  
2346  
Rec. Sept. 3 1963  
Well No. \_\_\_\_\_  
Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in

Owner Bureau of Land Management Driller J. B. Reynolds  
Address Elko Nevada Address Wells View Lic. No. 28  
Location of well: NW 1/4 NW 1/4 Sec. 22, T33N/S, R55E, in Elko County

Water will be used for stock water Total depth of well 450 ft  
Size of drilled hole 6" Weight of casing per linear foot 18 lbs.  
Thickness of casing .219 Temp. of water Cold  
Diameter and length of casing 6 7/8" X 450  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
If nonflowing well give depth of standing water from surface ND  
If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Aug 7-63 Date of completion of well Aug 29-63  
Type of well rig Churn drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	19	19	Top soil gravelly clay.	
19	21	2	Black rock shell.	Chief aquifer (water-bearing formation)
21	30	9	Black clay.	from _____ to _____ ft.
30	32	2	Black rock.	Other aquifers _____
32	54	22	Black tough clay.	
54	57	3	Black rock.	
57	450	393	Black tough sticky clay.	
			small seep of water between 150 ft and 170 feet. about 1/2 gal per min.	First water at <u>150 &amp; 170</u> feet.
				Casing perforated from _____ to _____ ft.
				Size of perforations _____



