

AMENDED

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 13 1982

Returned to applicant for correction JUL 15 1982

Corrected application filed AUG 18 1982 Map filed AUG 18 1982

The applicant VESTER L. CHAMPION AND SHARON G. CHAMPION

1232 Devonshire Road of Anaheim
Street and No. or P.O. Box No. City or TownCalifornia 92801 hereby make application for permission to change the
State and Zip Code No.Point of diversion and place of use of a portion
Point of diversion, manner of use, and/or place of useof water heretofore appropriated under Permit No. 26786 Certificate No. 9024
(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is underground source
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 0.078 C.F.S., not to exceed 20.63 AF/year.
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Irrigation and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Irrigation and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12, T. 21 S., R. 53 E.
Describe as being within a 40-acre subdivision of public survey and by course and
M.D.M. from the East $\frac{1}{4}$ corner of said sec. 12 bears S 62° 04' 55" E a distance
distance to a section corner. If on unsurveyed land, it should be stated.
of 2073.12 feet.
6. The existing permitted point of diversion is located within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12, T. 21 S., R. 53 E.
If point of diversion is not changed, do not answer.
M.D.M. from the North $\frac{1}{4}$ corner of said Sec. 12 bears N 59° 48' 07" W a distance
of 1411.56 feet.
7. Proposed place of use S $\frac{1}{2}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 12, Township 21 South, Range 53 East M.D.M.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
4.125 acres to be irrigated, this 4.125 acres place of use will stay in the
same place, the point of diversion will change.
8. Existing place of use 4.125 acres in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12, T. 21 S., R. 53 E. M.D.M.
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from January 1 to December 31 of each year.
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" well 200' deep diverted through main
State manner in which water is to be diverted, i.e. diversion structure, ditches,
pipe lines to risers for wheel sprinklers.
pipes and flumes, or drilled well, etc.
12. Estimated cost of works \$20,000.00
13. Estimated time required to construct works 3 years

14. Estimated time required to complete the application of water to beneficial use 4 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Bys/Richard L. Hafen
Richard L. Hafen
2383 Gateway Rd.
Las Vegas, Nevada 89115

Compared sg/bl gcr/bl

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 26786, Certificate 9024 is issued subject to the terms and conditions imposed in said Permit 26786, Certificate 9024 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.078 cubic feet per second, but not to exceed 20.625 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before July 18, 1986

Proof of completion of work shall be filed before August 18, 1986

Application of water to beneficial use shall be made on or before July 18, 1988

Proof of the application of water to beneficial use shall be filed on or before August 18, 1988

Map in support of proof of beneficial use shall be filed on or before August 18, 1988

Completion of work filed JUL 05 1985 IN TESTIMONY WHEREOF, I PETER G. MORRIS

Proof of beneficial use filed SEP 21 1988 State Engineer of Nevada, have hereunto set my hand and the seal of

Cultural map filed SEP 21 1988 my office, this 18th day of July

Certificate No. 12786 Issued APR 19 1991 A.D. 19 84

Peter G. Morris
State Engineer

2407 (Rev. 6-81)
Abrogated by Port 65465 0.0085
Port 65466 0.0127
Port 66637 0.00423
Port 65651 0.0085
Port 66067 0.0127 - cert 5/15/03
Port 66066 0.0069 - cert 5/15/03
Port 69345 0.0127
Port 69716 0.0042