

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 15 1992

Returned to applicant for correction

Corrected application filed Map filed MAY 15 1992 under 57659

The applicant Gardnerville Town Water Company, Incorporated

P.O. Box 63 of Gardnerville

Nevada 89410 hereby make application for permission to change the

Place of Use of Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit 49828

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.

- 1. The source of water is an Underground Source
2. The amount of water to be changed 1.0 CFS not to exceed 235,906 million gallons annually
3. The water to be used for Quasi-Municipal & Domestic purposes
4. The water heretofore permitted for Quasi-Municipal & Domestic purposes
5. The water is to be diverted at the following point No Change
6. The existing permitted point of diversion is located within the SW 1/4 NW 1/4 of Section 4, T.12N., R.20E., M.D.B.&M., or at a point from which the NE corner of said Section 4 bears N 66 degrees 34' 25" E., 4,577.36 feet (Well No. 7)
7. Proposed place of use See Attached Sheet
8. Existing place of use NW 1/4 SW 1/4, S 1/2 NW 1/4, and the NW 1/4 NW 1/4 in Section 4, E 1/2 NE 1/4 in Section 5, all in T.12N., R.20E., M.D.B.&M., Douglas County, Nevada
9. Use will be from January 1 to December 31 of each year
10. Use was permitted from January 1 to December 31 of each year
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) A drilled well with a variable speed motor
12. Estimated cost of works \$80,000
13. Estimated time required to construct works Well has been completed under Permit 49828

14. Estimated time required to complete the application of water to beneficial use 10 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

The Place of Use of Permit 49828 is being changed to include the entire
Water Company service area.

By s/B. J. Vasey
B.J. Vasey, PE, RLS, Vasey Engineering
P.O. Box 247
Minden, NV 89423

Compared bc/bc ap/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of the waters of an underground source as heretofore granted under Permit 49828 is issued subject to the terms and conditions imposed in said Permit 49828 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 11917, Certificate 7116; 21175 Certificate 6210; 25164, Certificate 8362; 33097, Certificate 10973; 50372, 57659, 57660, 57661 and 57662 shall not exceed 2085.47 million gallons annually.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 235.906 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before February 27, 1993

Proof of completion of work shall be filed before March 27, 1993

Application of water to beneficial use shall be made on or before February 27, 1995

Proof of the application of water to beneficial use shall be filed on or before March 27, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed MAY 3 - 1993

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed _____

office, this 16th day of September,

Cultural map filed _____

A.D. 19 92

Certificate No. _____ Issued _____

R. Michael Turnipseed, P.E.
State Engineer

Abrogated By: 60014 1.0 cfs cert 3/6/00

QUESTION 7

Proposed Place of Use:

Portions of the NE 1/4 NW 1/4, SE 1/4 NW 1/4, SE 1/4 NE 1/4, SW 1/4 NE 1/4, and the SE 1/4 of Section 32, T.13N., R.20E., M.D.B.&M.,

and portions of the SW 1/4 and the SE 1/4 of Section 33, T.13N., R.20E., M.D.B.&M.,

and portions of the NW 1/4 NW 1/4, SE 1/4 NW 1/4, SW 1/4 NW 1/4 and the SW 1/4 of Section 3, T.12N., R.20E., M.D.B.&M.,

and portions of the NW 1/4, NE 1/4, NE 1/4 SE 1/4, and NW 1/4 SW 1/4 of Section 4, T.12N., R.20E., M.D.B.&M.,

and portions of the NE 1/4 of Section 5, T.12N., R.20E., M.D.B.&M.,

and portions of the NE 1/4 NW 1/4 and the NE 1/4 of Section 10, T.12N., R.20E., M.D.B.&M.,

all in Douglas County, Nevada.