

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 18 1999
 Returned to applicant for correction JUL 13 1999
 Corrected application filed JUL 30 1999
 Map filed JUL 30 1999

The applicant John S. Shahin, hereby makes application for permission to change the Point of Diversion of water heretofore appropriated under Permit #49685, Certificate #13046

1. The source of water is Underground
2. The amount of water to be changed 0.1 cfs, not to exceed 20.0 AFA
3. The water to be used for Commercial
4. The water heretofore permitted for Commercial
5. The water is to be diverted at the following point SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 26, T.13N., R.20E., M.D.B.&M., or at a point from which the Northeast corner of said Section 26 bears N 62 $^{\circ}$ 14' 10" E a distance of 5,296.60 feet.
6. The existing permitted point of diversion is located within SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 26, T.13N., R.20E., M.D.B.&M., or at a point from which the Northeast corner of said Section 26 bears N 63 $^{\circ}$ 32' E a distance of 4883 feet.
7. Proposed place of use S $\frac{1}{2}$ NW $\frac{1}{4}$ Section 26, T.13N., R.20E., M.D.B.&M.
8. Existing place of use S $\frac{1}{2}$ NW $\frac{1}{4}$ Section 26, T.13N., R.20E., M.D.B.&M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled well, 200 feet deep with 10 inch casing, 5 HP pump to a pond, thence through a distribution system to a caretakers residence, office and cemetery landscaping.
12. Estimated cost of works Maintenance cost for well as cemetery expands. \$100,000
13. Estimated time required to construct works Drilled well 200 feet deep with 10 inch casing, 5 HP pump to a pond, thence through a distribution system to a caretakers residence, office and cemetery landscaping.
14. Estimated time required to complete the application of water to beneficial use 1 year

15. Remarks: Works completed under Certificate #13046, Permit #49685. Corrects original point of diversion on map to actual drilled well location. Arlene V. Gleich remains as agent for water right.

By David Owens
s/David Owens
P. O. Box 44
Smith, Nevada 89430

Compared my/cmf lb/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 49685, Certificate 13046 is issued subject to the terms and conditions imposed in said Permit 49685, Certificate 13046 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 65232 and 65374 shall not exceed 150.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 20.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 10, 2004

Proof of completion of work shall be filed before:

February 10, 2004

Water must be placed to beneficial use on or before:

January 10, 2005

Proof of the application of water to beneficial use shall be filed on or before:

February 10, 2005

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 10th day of January, A.D. 2003



State Engineer

Completion of work filed MAR 08 2004

Proof of beneficial use filed MAR 08 2004

Cultural map filed N/A

Certificate No. 16579 Issued 10-10-05