

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office FEB 17 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 26 2000 under 65743

The applicant **BENTLY FAMILY LIMITED PARTNERSHIP**, hereby makes application for permission to change the **Point of Diversion and Place Use** of water heretofore appropriated under **Permit No. 49103**

1. The source of water is **underground**
2. The amount of water to be changed **0.22 CFS not to exceed 3.91 million gallons annually**
3. The water to be used for **Quasi - Municipal (no change)**
4. The water heretofore permitted for **Quasi-Municipal**.
5. The water is to be diverted at the following point **Within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 20, T13N, R20E, MDB&M or at a Point from which the NE Corner of said Section 20 bears N 66° 57'E, 5225 Feet.**
6. The existing permitted point of diversion is located within **The NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 14, T13N, R20E, MDB&M or at a Point from which the E $\frac{1}{4}$ Corner of said Section 14 bears N 12° 33' 00", 1267.65 Feet.**
7. Proposed place of use **Portions of the NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$ and the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 19, T13N, R20E, MDB&M, Douglas County, Nevada**
8. Existing place of use **SE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 14 and the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 13, all in T13N, R20E, MDB&M, Douglas County, Nevada**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled and cased well, pump and motor, pressure tanks and distribution system.**
12. Estimated cost of works **Approximately \$25,000**
13. Estimated time required to construct works **Five months**
14. Estimated time required to complete the application of water to beneficial use **5 Years**

15. Remarks: The water being requested is to be used for the new horse facility presently being constructed at the NE Corner of US 395 and Stockyard Road. It is estimated that the facility will use 4,200,000 gallons annually. Please use the map filed under Permit 49103 to show the existing point of diversion and place of use and the map filed under Application 65743 to show the proposed point of diversion and place of use.

By **B.J. Vasey**
s/B J Vasey
P.O. Box 1120
Minden, Nevada 89423

Compared kdg/cmf hf/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 49103 is issued subject to the terms and conditions imposed in said Permit 49103 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 65743 and 66086 shall not exceed 6.53 million gallons annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.22 cubic feet per second, **but not to exceed 3.91 million gallons annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

January 3, 2002

Proof of completion of work shall be filed before:

February 3, 2002

Water must be placed to beneficial use on or before:

January 3, 2003

Proof of the application of water to beneficial use shall be filed on or before:

February 3, 2003

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office

this 17th day of, January A.D. 2001

Hugh Ricci, P.E.

State Engineer

MAY 04 2001

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

