

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office AUG 15 2001

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed JAN 11 1999 UNDER 64576

\*\*\*\*\*

The applicant **Nevada Roses c/o Paul Swartz** hereby make application for permission to change the **Manner of Use & Point of Diversion of a Portion** of water heretofore appropriated under **Permit No. 57989**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **25.0 Acre feet annually**
3. The water to be used for **commercial (bottled water facility)**
4. The water heretofore permitted for **irrigation and domestic**
5. The water is to be diverted at the following point **SW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 31, T21S, R54E, MDM, or at a point from which the SW corner of Section 31 bears S 44° 16' 08" W. a distance of 1076.46 (refer to Supporting Map filed under Permit #64576)**
6. The existing permitted point of diversion is located within **SW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 31, T21S, R54E MDM, or at a point from which the SW corner of Said Section 31 bears S 45° 03' 32" W a distance of 1363.22 feet. (refer to supporting Map filed under Permit #57989)**
7. Proposed place of use **SW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 31, T21S, R54E, MDM (refer to supporting Map filed under Permit #64576)**
8. Existing place of use **12 acres within the SW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 31. T21S. R54E. MDB&M (refer to supporting Map filed under Permit #57989)**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **A drilled well, equipped w/motor and pump. The system will include a pressure tank, a 2500 gal reservoir and a 1250 gal. reservoir.**
12. Estimated cost of works **Existing**
13. Estimated time required to construct works **Completed**
14. Estimated time required to complete the application of water to beneficial use **3 years**

**67909**

15. Remarks: **This Change is a request to accommodate a bottled-water facility on the property.**

s/ **Vivian D. Carvin**  
 By **Vivian D. Carvin - Agent**  
**Summit Engineering Corp.**  
**5405 MAe Anne Ave.**  
**Reno, NV 89523**

Compared cm/cmf dl/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 57989 is issued subject to the terms and conditions imposed in said Permit 57989 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The total combined duty of water under Permits 64576 and 67909 shall not exceed 55 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0825 cubic feet per second, **but not to exceed 25.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

July 5, 2003

Proof of the application of water to beneficial use shall be filed on or before:

August 5, 2003

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office

this 28th day of May, A.D. 2002

  
State Engineer

Completion of work filed September 6, 2001 under 64576

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

Handwritten text, possibly a signature or initials, located in the center-left area of the page.

