

AMENDED
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office APR 11 2006

Returned to applicant for correction MAY 05 2006

Corrected application filed MAY 19 2006

Map filed MAY 19 2006

The applicant **John V. Hanson, Trustee of John V. Hanson Trust** dated May 29th, 2003, hereby makes application for permission to change the **Point of Diversion and Place of Use of a portion** of water heretofore appropriated under **Permit #50992, Certificate #12508**

1. The source of water is **Underground**
2. The amount of water to be changed **0.0201 cfs, 4 AFA (1.3 MG)**
3. The water to be used for **Irrigation**
4. The water heretofore permitted for **Irrigation & Domestic**
5. The water is to be diverted at the following point **The SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 8, T.16N., R.20E., M.D.B.&M., or at a point from which the NE corner of said Section 8 bears N 17°34'50"E, a distance of 1576'**
6. The existing permitted point of diversion is located within **The SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 8, T.16N., R.20E., M.D.B.&M., or at a point from which the NE corner of said Section 8 bears N 14°00'E, a distance of 4,844 feet.**
7. Proposed place of use **Within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 8, T.16N., R.20E., M.D.B.&M., Washoe County parcel #5047008, 1.0414 acres to be irrigated within the 5 acre parcel. Duty 3.841 acre ft/acre.**
8. Existing place of use **SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 8, T.16N., R.20E., M.D.B.&M., 1.0414 acres to be removed from irrigation. Duty 3.841 acre-ft/acre. See supporting map.**
9. Use will be from **March 1st to November 30th** of each year.
10. Use was permitted from **March 1st to November 30th** of each year.
11. Description of proposed works **drilled well, pump and motor, and irrigation distribution system**
12. Estimated cost of works **\$20,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**

15. Remarks: See attached remarks

Todd Connelly, Resource Concepts, Inc.
By s/ Todd R. Connelly
340 North Minnesota Street
Carson City, Nevada 89703

Compared sc/gkl lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 50992, Certificate 12508, is issued subject to the terms and conditions imposed in said Permit 50992, Certificate 12508 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued for the irrigation of 1.0414 acres within the described place of use.

(Continued on Page 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0201 cubic feet per second, but not to exceed 4.0 acre-feet seasonally, and not to exceed a seasonal duty of 3.841 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

January 11, 2009

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

January 11, 2012

Map in support of proof of beneficial use shall be filed on or before:

January 11, 2012

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 11th day of January, A.D. 2007


State Engineer

Completion of work filed _____
Proof of beneficial use filed _____
Cultural map filed _____
Certificate No. _____ Issued _____

Attachment to Change Application under permit 50992, certificate 12508

Question 15: Remarks

Please use map on file at Division of Water Resources under Application 50992 to support the existing Point of Diversion.

Please use culture map on file at the Division of Water Resources under Application 50992 to support the existing Place of Use.

Please use attached map to support the proposed Point of Diversion and Place of Use in addition to the area to be stripped from the existing Place of Use.

Please send copies of all correspondence and notices to Todd Connelly, Resource Concepts – 340 N. Minnesota Street, Carson City, NV 89703 and John Hanson – 3390 Quilisi Lane, Reno, Nevada 89511.