Application No. 75282

THE STATE OF NEVADA

APPLICATION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant:	**UNINCORPORATED TOWN OF PAHRUMP**
Source:	**UNDERGROUND**
Basin:	**PAHRUMP VALLEY**
Manner of Use:	**QUASI-MUNICIPAL**
Period of Use:	**January 1st to December 31st**
Priority Date:	**06/07/1962**

****

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that the Applicant has not submitted the information requested by the State Engineer's Office, and that without this information granting of the application would threaten to prove detrimental to the public interest.

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this **11th** day of **July**, A.D. **2008**

For State Engineer

No. 75282

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office **JAN 24 2007**

Returned to applicant for correction

Corrected application filed

Map filed **FEB 04 2005 under 72171**

****

The applicant **Unincorporated Town of Pahrump** hereby makes application for permission to change the **Point of Diversion & Place of Use** of water heretofore appropriated under **Permit 61363, Certificate 14983**

****

1. The source of water is **Underground**

2. The amount of water to be changed **0.0073 cfs, not to exceed 3.0 afa**

3. The water to be used for **Quasi-Municipal**

4. The water heretofore permitted for **Quasi-Municipal**

5. The water is to be diverted at the following point **NW¼ SE¼ Section 18, T.21S., R.54E., M.D.B.&M., or at a point from which the South ¼ corner of said Section 18 bears S. 01° 56' 54" W. a distance of 1,363.13 feet. See Map accompanying application 72171 for proposed POD.**

6. The existing permitted point of diversion is located within **NW¼NE¼ Section 12, T.21S., R.53E., M.D.B.&M., or at a point from which the NW corner of said Section 12 bears N. 85° 29' 06" W., a distance of 3,071.14 feet. See Map accompanying Permit 61363 for existing POD.**

7. Proposed place of use **W½ SW¼ NW¼ SE¼ of Section 18, T.21 S., R.54E., M.D.B.&M. See map accompanying application 72171 for proposed POU.**

8. Existing place of use **NW¼ NE¼, Section 12, T.21S., R.53E., M.D.B.&M. See map accompanying permit 61363 for existing POU.**

9. Use will be from **January 1** to **December 31** of each year.

10. Use was permitted from **January 1** to **December 31** of each year.

11. Description of proposed works **14.75" x 400' deep well, 10" casing, 7.5 HP submersible pump, as described in POC under Permit 54852.**

12. Estimated cost of works **Works Complete**

13. Estimated time required to construct works **Works Complete**

14. Estimated time required to complete the application of water to beneficial use **Five (5) years**

75282

15. Remarks: **The Town will be utilizing water under this application for Kellogg Park.**

s/ Chris C. Mahannah
By Chris C. Mahannah, P.E., SWRS# 976
Mahannah & Associates, LLC
P.O. Box 2494
Reno, NV 89505

Compared **aem/mt**

Protested

****