THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee:	**UTILITIES, INC OF CENTRAL NEVADA**
Source:	**UICN WELL #22 (UNDERGROUND)**
Basin:	**PAHRUMP VALLEY**
Manner of Use:	**MUNICIPAL**
Period of Use:	**JANUARY 1ST THROUGH DECEMBER 31ST**
Priority Date:	**09/27/1960**

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 38967, Certificate 9544 is issued subject to the terms and conditions imposed in said Permit 38967, Certificate 9544 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 38343, 45870, 45892, 45893, 45894, 45895, 45897, 46116, 46117, 46118, 46119, 46304, 46305, 46306, 46307, 46308, 46309, 46310, 46312, 46314, 46315, 46316, 46317, 46318, 46319, 46320, 46324, 46325, 46326, 46826, 46827, 47074, 47141, 47265, 48497, 49545, 50722, 50804, 50805, 51142, 52128, 52129, 52130, 52131, 52132, 52284, 52285, 52606, 52978, 54357, 54361, 55101, 55347, 57877, 57879, 57880, 58626, 58627, 58628, 58629, 58630, 58631, 58632, 58633, 58958, 58959, 60694, 60695, 61064, 61065, 61188, 61968, 61969, 62037, 62038, 62716, 62717, 62726, 62727, 62920, 63500, 63780, 64364, 64365, 64366, 64367, 64615, 65104, 65735, 66228, 66239, 66481, 66482, 66485, 66938, 68908, 69131, 70325, 70326, 70327, 71196, 71197, 71198, 71199, 71201, 71750, 71751, 71752, 71877, 71878, 72828, 73042, 74257, 74258, 74287, 74672, 74673, 74739, 74740, 74764, 75228, 75817, 75880, 75881, 75944, 75945, 75946, 75963, 76040, 76041, 76174, 76217, 76334, 76339, 76359, 75524, 75525, 76454, 76776, 76779, 77720, 77779, 77785, 78689, 78690, 79234, 79806, 79869, 79970, 79983, 79985, 80676, 80837, 80838, 80839, 80840, 80922, 81605 and 81606, with UICN owing all or portions and having the same place of use, shall not exceed 23,422.45 acre-feet annually.

(Continued on Page 2)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

This permit was dedicated to Utilities, Inc. of Central Nevada for water service to Nye County Assessors APN 35-191-48.

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.0675 cubic feet per second or 26.96 acre-feet annually**.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:	**September 26 2013**
Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:	**September 26 2022**
Map in support of proof of beneficial use shall be filed on or before:	**N/A**

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 26th day of **September, 2012**

for State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

Application No. 81606

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office FEB 23 2012

Returned to applicant for correction

Corrected application filed Map filed MAY 6 2008 under 76776 sht.2

The applicant UTILITIES, INC. OF CENTRAL NEVADA

1240 East State Street, Suite #115 (Street Address or PO Box) of Pahrump (City or Town)

Nevada 89048 (State and ZIP Code) hereby make(s) application for permission to change the

☑ Point of diversion ☑ Place of use ☑ Manner of use ☑ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 38967, Certificate 9544

1. The source of water is Underground - UICN Well #22
   Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 0.0675 c.f.s., 26.96 AFA
   Second feet, acre-feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Municipal
   Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Irrigation and Domestic
   If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

   SW¼ SE¼ Section 10, T. 20 S., R. 53 E., M.D.M. or at a point from which the South ¼ corner of said Section 10 bears South 65° 07' West, a distance of 1,270 feet (UICN Well #22).
   See supporting map filed under Application 76776.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

   within the NE¼NW¼ Section 14, T.21S., R.53E., M.D.M., or at a point from which the N¼ corner of said Section 14 bears North 12°53'28" East, a distance of 336.17 feet.
   Use map on file under Application 29476 to support the existing point of diversion.

162-MY

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Please see attached.
Use map on file under Application 76776 to support the proposed place of use.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

4.24 acres within the NE¼SW¼ Section 14, T.21S., R.53E., M.D.M.; 6.97 acres within the SE¼NW¼ Section 14, T.21S., R.53E., M.D.M.; 5.782 acres within the NE¼NW¼ Section 14, T.21S., R.53E., M.D.M. 4.24 acres to be stripped from the NE¼SW¼ Section 14, T.21S., R.53E., M.D.M., and 3.636 acres from the SE¼ NW¼ Section 14, T.21S., R.53E., M.D.M. Please see accompanying map.

9. Proposed use will be from January 1 (Month and Day) to December 31 (Month and Day) of each year.

10. Existing use permitted from January 1 (Month and Day) to December 31 (Month and Day) of each year.

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Drilled well, pump, motor, and municipal water distribution system.

12. Estimated cost of works Unknown

13. Estimated time required to construct works Existing well - drilled under Well Log 63250
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 10 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This application will move water into a Utilities, Inc of Central Nevada Well for service within the Utility Service Area. An Application to Change supplemental Permit 30471, Certificate 9504 is being filed concurrently.

16. Miscellaneous remarks:

The water is being transferred to UICN for use by Nye County, Nevada including the Pahrump jail complex on Assessor Parcel Number 035-191-48.

rciwater@rci-nv.com
E-mail Address

775-883-1600
Phone No.

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

Bruce R. Scott
Type or print name clearly

Signature, applicant or agent

Resource Concepts, Inc.
Company Name

340 N. Minnesota Street
Street Address or PO Box

Carson City, Nevada 89703
City, State, ZIP Code

RECEIVED
2012 FEB 23 AM 11:06
STATE ENGINEER'S OFFICE

$200 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

Attachment for Application to Change Permit 38967
ITEM 7 - PROPOSED PLACE OF USE
Utilities Inc. of Central Nevada's water service territory.

ALL OF SECTIONS 7, 8, 9, 10, 14, 16, 17, 18, 23, 24, 26, and 34; the E½ and portions of the W½ of Section 15; portion of the N½ of Section 22; all of Section 27 EXCEPT the N½NW¼; the SW¼SE¼ of Section 28; and the N½ of Section 33;
all in **T. 19S., R. 53E.**, M.D.M.; and

ALL OF SECTIONS 3, 10, 11, 14, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 32, 33, 34, 35, and 36; a portion of the N½NW¼ and portions of the S½ Section 15; portions of Section 16,
all in **T. 20S., R. 53E.**, M.D.M.; and

ALL OF SECTIONS 19, 30, 31, 32, 33, and SW¼SW¼ Section 34,
all in **T. 20S., R. 54E.**, M.D.M.; and

ALL OF SECTIONS 5 and 6; NW¼ of Section 3; all of Section 4 EXCEPT a portion of the SE¼SE¼,
all in **T. 21S., R. 54E.**, M.D.M.;

All in the County of Nye, State of Nevada.

See supporting map filed under Application 76776.

RECEIVED
2012 FEB 23 AM 11:06
STATE ENGINEERS OFFICE

February 22, 2012