


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 789 ✓
 Rec. 12/3 1948
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr. Milo Ghiglieri Driller Warren W. Overholser
 Address So. Virginia Rd., Reno, Nev Address Fernley, Nev Lic. No. I5
 Location of well: ^{SW SE} 1/4 1/4 Sec. ^{36 19 19} T. 18 N. R. 20 E. in Washoe County
 or 1/4 mi. West of Del Monte Guest Ranch, on the left hand side of the rd.
 Water will be used for Domestic purposes Total depth of well 142'
 Size of drilled hole 7" 4" Std. Pipe Weight of casing per linear foot 11.77
 Thickness of casing 1/4" Temp. of water 56 Deg-F
 Diameter and length of casing 4" Std. Pipe Length 142'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 5'-3"
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Nov 2, 1948 Date of completion of well Nov 5, 1948
 Type of well rig Failing Mod 3I4-C Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Rock, Sand, Clay, Gravel
30	35	5	Lt brown clay, small Gravel
35	40	5	Large boulders
40	90	50	Brown clay, sand, small gravel
90	100	10	Sand, gravel, water strata,
100	120	20	Sand, small gravel bottom of Water strata. small amt of water
120	135	15	Very hard clay hardpan
135	139	4	Water washed gravel, good mud loss.
139	142	3	Med Hard sandy clay.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 135 to 139 ft.

Other aquifers 90 120

First water at 90' feet.

Casing perforated
 from 130' to 142' ft.

Size of perforations
1/4" X 12" Long

4 Rows, 18 Perforatio

