

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1124
 Rec. 11/23 1949
 Well No.
 Permit No.

Do not fill in

Owner V.A. Austin Driller C.J. Brackney

Address Fallon Nevada Address P.O. Box 82 Fallon Nev. Lic. No. 16

Location of well N.E. 1/4 N. 1/2 Sec. 26, T. 18N/S, R. 28E, in Churchill County

or

Water will be used for Stock Corral Total depth of well 17'6"

Size of drilled hole 6" Weight of casing per linear foot

Thickness of casing 14 gauge Temp. of water 65 F.

Diameter and length of casing 6" by 17'6"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 4'6"

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well 4/11/49 Date of completion of well 4/11/49

Type of well rig Churndrill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0'	5'	5'	Fine Sand
5'	15'	10'	Coarse Sand
15'	17'6"	2'6"	Coarse sand and gravel
17'6"	17'6"	17'6"	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 5 to 7'6" ft.

Other aquifers 0

First water at 5 feet.

Casing perforated

from 11'6" to 17'6" ft.

Size of perforations

1/32 by 2"



CALIFORNIA-NEVADA INTERSTATE COMPACT COMMISSION

NEVADA

_____, 195__

MEMORANDUM No. _____

To: _____

From: _____

Subject: _____

