

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1125
 Rec. 11/23 1945
 Well No. _____
 Permit No. _____

Do not fill in

Owner V.A. Austin Driller C.J. Brackney

Address Fallon Nevada Address P.O. Box 82 Fallon Nev. Lic. No. 16

Location of well N.E. 1/4 N.E. 1/4 Sec. 26, T18 N/S, R. 28E, in Churchill County
 or _____

Water will be used for Stock Corral Total depth of well 18'6"

Size of drilled hole 6" Weight of casing per linear foot _____

Thickness of casing 1 1/4 guage Temp. of water 65 F.

Diameter and length of casing 6" by 18'6"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 4'6" /

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 2/11/49 Date of completion of well 3/11/49

Type of well rig Churndrill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0'	5'	5'	Fine sand
5'	15'	10'	Coarse sand
15'	18'	18'6"	Coarse sand
18'6"	21'0"	3'6"	Quicksand (continues)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 5' to 18' ft.

Other aquifers 0

First water at 5 feet.

Casing perforated

from 12'6" to 18'6" ft.

Size of perforations

1/32/ by 2"



