

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. <u>1214</u>
Rec. <u>3/3</u> 19 <u>50</u>
Well No. _____
Permit No. _____

Do not fill in

Owner M. A. Bunker Driller Darell Free  
 Address Hiko Nevada Address Proche Nev. Lic. No. 30  
 Location of well: S<sup>W</sup> 1/4 SE 1/4 Sec. 32, T. 6 N/S, R. 11 E, in Lincoln County  
 or \_\_\_\_\_  
 Water will be used for Culinary Total depth of well 44 ft.  
 Size of drilled hole 10 in. Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 12 Gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 10 in 44 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 22 ft.  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well Feb. 21, 1950 Date of completion of well Feb. 23, 1950  
 Type of well rig Churndrill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	32	32	Gravel
32	34	2	Cemented Gravel
34	44	10	Gravel

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 34 to 44 ft.

Other aquifers \_\_\_\_\_

---

First water at 34 feet.

Casing perforated  
 from 28 to 44 ft.

Size of perforations  
1/4 by 12 in

