

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 1202  
 Rec. 3/27 1950  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Do not fill in

Owner John Risley Driller C. C. Moon  
 Address 116 Stanford Way Sparks Nev Address Gen del-Reno Nev Lic. No. 75  
 Location of well: Lot 8 1/4 Blk 3 San Valley Subdivision no 2 - Washoe County \_\_\_\_\_  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 85 ft  
 Size of drilled hole 6" Weight of casing per linear foot 9 1/2  
 Thickness of casing \_\_\_\_\_ Temp. of water Cold  
 Diameter and length of casing 6" 72 ft  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 30 ft  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well Feb. 19, 1950 Date of completion of well Feb. 20, 1950  
 Type of well rig Keystone 50

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Top Soil
1	20	19	Hard Pan
20	56	36	Sticky yellow clay
56	62	6	Sand clay + gravel
62	85	23	Sticky clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

First water at 56 feet.

Casing perforated

from 40 to 85 ft.

Size of perforations

3/16 x 6



