

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1346  
 Rec. 6/29 1950  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Henry Mesconi Driller E.C. Hoover

Address P.O. Box 7 Verdi Nev. Address P.O. Box 655 Reno Lic. No. 75

Location of well: NW 1/4 NW 1/4 Sec. 17, T. 19 N/S, R. 18 E, in Washoe County

or 35' W. of NW corner of West Gregory Sm.

Water will be used for Domestic Total depth of well 105 ft

Size of drilled hole 6" Weight of casing per linear foot 19#

Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_

Diameter and length of casing 6" 80 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 2' or

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well June 21, 1950 Date of completion of well June 24, 1950

Type of well rig Keystone 50

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top soil
2	20	18	Boulders + Clay
20	35	15	Boulders + Water Sand
35	45	10	Sandy gravelly clay
45	65	20	Brown Clay
65	83	18	Blue Shale
83	100	17	Coal Shale
100	105	5	Water Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

First water at 35 feet.

Casing perforated

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_

