[illegible] 350 [illegible] + 300 g/m

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1635
Rec. 4/23 1951
Well No.
Permit No.
Do not fill in

Owner [illegible] Driller Champion

Address [illegible] Address Lic. No.

Location of well: NW ¼ SE ¼ Sec. 9, T. 31 N/S, R 24 E, in Humb. County

or [illegible]

205' [illegible] at 500 g/m & [illegible]

Water will be used for irrigation Total depth of well 1062

Size of drilled hole 14 [illegible] Weight of casing per linear foot 10 lb.

Thickness of casing 3/16 inch Temp. of water 125°

Diameter and length of casing 14 in 308', 10 in 851', 8 in 97'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure [illegible] 350

If nonflowing well give depth of standing water from surface 54 ft.

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well Aug. 7 1950 Date of completion of well Jan. 15

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	18	[illegible]	[illegible]
18	30	12	[illegible]
[illegible]	[illegible]	8	[illegible]
38	56	[illegible]	[illegible]
56	[illegible]	6	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
68	[illegible]	5	[illegible]
[illegible]	[illegible]	36	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
108	[illegible]	21	[illegible]
[illegible]	[illegible]	2	[illegible]
[illegible]	[illegible]	20	[illegible]
156	162	6	[illegible]
162	[illegible]	32	[illegible]
[illegible]	[illegible]	6	[illegible]
[illegible]	241	45	[illegible]

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from ..... to ..... ft.

Other aquifers .....

First water at ..... feet.

Casing perforated

from ..... to ..... ft.

Size of perforations

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material
241	252	11	gray clay
252	277	25	red clay [illegible] gravel
277	292	15	brownish white sandy clay
292	333	41	red sandy clay
333	342	9	brown clay & sand
342	357	15	white clay [illegible] & sand
357	410	53	white clay & red sand
410	423	13	gray clay & sand
423	425	2	red clay & rock
425	442	17	gray clay & sand
442	446	2	reddish white clay rock

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
446	467			gray clay & sand
467	469	2		white sugary clay
469	505	36		gray sand & clay
505	513	8		brown coarse sand & clay
513	522	9		white clay & sand
522	546	24		white clay

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

546	546' 6"	6"	blue clay
546' 6"	552	5' 6"	white clay & sand
552	555	3	white rock
555	561	6	white clay
561	569	8	white clay & sand

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No.....

Dated....., 194.....

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No.....
Rec.....194.....
Well No.....
Permit No.....
Do not fill in

Owner..... Driller.....

Address..... Address..... Lic. No.....

Location of well: .....¼.....¼ Sec....., T.....N/S, R.....E, in.....County

or.....

Water will be used for..... Total depth of well.....

Size of drilled hole..... Weight of casing per linear foot.....

Thickness of casing..... Temp. of water.....

Diameter and length of casing.....
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface.....

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well..... Date of completion of well.....

Type of well rig.....

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
569	578	9	gray [illegible] clay
578	585	7	white [illegible] rock
585	597	12	white hard clay
597	608	11	gray clay
608	630	22	gray clay [illegible]
630	652	22	white clay
652	657	5	gray clay
657	[illegible]	7	red rock
664	672	8	gray clay
672	708	[illegible]	white clay
708	725	17	[illegible]
725	752	17	gray [illegible] clay
752	763	11	[illegible]
763	776	13	[illegible]
776	801	5	[illegible] hard clay
801	808	7	white clay
808	817	9	[illegible]
817	[illegible]	8	gray [illegible]
825	[illegible]	7	[illegible]

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from ..... to .....ft.

Other aquifers .....

First water at.....feet.

Casing perforated

from ..... to .....ft.

Size of perforations

.....

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material
832	838	6	[illegible]
838	846	8	brown clay
846	852	6	[illegible]
852	853	1	[illegible]
853	861	8	brown clay
861	872	11	gray clay
872	879	7	brown clay
879	887	8	white clay
887	897	[illegible]	brown clay
897	907	90	[illegible]

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
807	[illegible]	6		blue clay
[illegible]	918	5		brown [illegible]
918	974	56		black rock
974	[illegible]	28		white [illegible] rock

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

518 Double red hart casing 10 gage
851 [illegible] 16 gage 26 ft overlap
97 standard black [illegible] casing, 31 ft overlap

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed John Champion
Well Driller

By.....

License No.....

Dated....., 194.....

(Not to be filled in by Driller)