

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2048  
 Rec. Oct 1952  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner VERLE H. CHAPMAN Driller CHAMPION PUMP & SUPPLY  
 Address SUN VALLEY, NEVADA Address RT. 1, BX. 352 RENO Lic. No. 29  
 Location of well:  $\frac{1}{4}$  Sec. 18, T. 20 N/S, R. 20 E, in WASHOE County  
 or WEST END OF 7TH AVE., SUN VALLEY  
 Water will be used for DOMESTIC Total depth of well 110  
 Size of drilled hole 6" Weight of casing per linear foot 5/16"  
 Thickness of casing 5/16" Temp. of water 65°  
 Diameter and length of casing 6" I.D. X 93 FEET  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure NONE  
 If nonflowing well give depth of standing water from surface 70 FT  
 If flowing well describe control works .....  
(Type and size of valve, etc.)  
 Date of commencement of well SEPT 8, 1952 Date of completion of well SEPT 11, 1952  
 Type of well rig BUCYRUS-ERIE CABLE TOOL

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	
0	20	20	BROWN CLAY & SAND	Water-bearing Formation, Casing Perforations, Etc. <del>XXXXXXXXXXXX</del> Chief aquifer (water-bearing formation) from <u>66</u> to <u>110</u> ft. Other aquifers ..... First water at <u>25</u> feet. Casing perforated from <u>66</u> to <u>93</u> ft. Size of perforations $\frac{1}{2}$ " X 4"
20	45	25	CEMENTED SAND	
45	60	15	ROCK	
60	80	20	CLAY & GRAVEL	
80	87	7	CEMENTED GRAVEL (SOME WATER)	
87	90	3	BOULDERS	
90	93	3	SAND & WATER	
93	110	17	ROCK	

