

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2076  
 Rec. Oct 20 1952  
 Well No. ....  
 Permit No. ....

Do not fill in

Owner Taylor Grazing Driller George Kidd  
 Address 849 Nevada Address 714 E. 1st St Lic. No. 108  
 Location of well: NE 1/4 SW 1/4 Sec. 8, T. 20. N. R. 53. E. in White Pine County  
 or West Long Valley - Graceland Range  
 Water will be used for Stock water Total depth of well 170 ft  
 Size of drilled hole 7 inch Weight of casing per linear foot 19.6  
 Thickness of casing 3/4 Temp. of water 60.0  
 Diameter and length of casing 170 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface 7 1/2 ft  
 If flowing well describe control works.....  
(Type and size of valve, etc.)  
 Date of commencement of well 8-6-52 Date of completion of well 8-15-52  
 Type of well rig beam drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	12	12	top soil	
12	21	9	clay - some sand	
21	30	9	clay fine decomposed	Chief aquifer (water-bearing formation) from <u>118</u> to <u>160</u> ft.
30	47	17	clay very little sand	Other aquifers .....
47	80	33	clay some red hard	
80	111	31	clay - some softer	
111	148	37	clay some caked water	
148	160	12	some hard like sand & gravel	
160	170	10	some softer very little sand & gravel	First water at <u>118</u> feet.

Casing perforated  
 from 110 to 170 ft.

Size of perforations

1/8 x 3



