

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2158 ✓  
 Rec. FEB. 26 1953  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Ray Peterson Driller Mel Meyer

Address 807 1/2 Kietzke Lane Reno Address 120 Moana Lane Reno Lic. No. 3

Location of well: SE 1/4 NW 1/4 Sec. 18, T. 19N, R. 19E, in Washoe County  
 or \_\_\_\_\_

Water will be used for Home Total depth of well 65'

Size of drilled hole 6" Weight of casing per linear foot 20#

Thickness of casing 5/16 Temp. of water Cold

Diameter and length of casing 6" ID X 65'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 8'

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well 1-26-53 Date of completion of well 2-4-53

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	37	35	River Rock and Sand
37	39	2	Hard Pan
39	50	11	Sand Clay and Rocks
50	65	15	Sand Rocks

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 9 to 35 ft.

Other aquifers \_\_\_\_\_

50-65

First water at 9 feet.

Casing perforated

from 50 to 63 ft.

Size of perforations

2 1/2 x 3/8

