

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA



Log No. 2278
 Rec. July 15 1953
 Well No. _____
 Permit No. 15238
 Do not fill in

Owner D. C. HONER Driller HARVEY MEYER
 Address CARSON CITY Address CARSON CITY Lic. No. 10
 Location of well: SW 1/4 NW 1/4 Sec. 29, T. 16N/S, R. 20E, in BRMSBY Count _____
 or _____
 Water will be used for DOMESTIC Total depth of well 143'
 Size of drilled hole 6" Weight of casing per linear foot 20 LBS
 Thickness of casing 5/16 Temp. of water COOL
 Diameter and length of casing 6" - 143'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure NO
 If nonflowing well give depth of standing water from surface 45'
 If flowing well describe control works NO
 (Type and size of valve, etc.)
 Date of commencement of well JUNE 25 Date of completion of well JULY 15 1953
 Type of well rig CABLE TOOLS 13

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	28	28	SAND CLAY
28	35	7	CLAY
35	57	22	HARD PAN.
57	62	5	WATER SAND.
62	135	73	SANDY CLAY.
135	143	8	SAND WATER.
143	150	7	SAND CLAY.

PLUGGED BY _____
 LOG # 112158
 39.136231° N
 119.767526° W
 NAD 27 (19)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 135 to 143 ft.

Other aquifers _____

First water at 57 feet.

Casing perforated

from 0 to 22 ft.

Size of perforations

1/8"

