

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2493
 Rec. Mar 16 1954
 Well No.
 Permit No.

Do not fill in

Owner JOHN HANSON Driller HARVEY MEYER
 Address STEAM BOAT Address CARSON CITY Lic. No. 10
 Location of well: NW 1/4 NW 1/4 Sec. 13, T. 18N/S, R. 20E, in WASHOE County
 or PROBABLY NW 4 SW 4 SEC. 4 T. 17N., R. 20E., HANSON HOMES SUBDIVISION
 Water will be used for DOMESTIC Total depth of well 40'
 Size of drilled hole 6" Weight of casing per linear foot 19.4 LBS
 Thickness of casing 5/16 Temp. of water COOL
 Diameter and length of casing 6" — 40'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure NO
 If nonflowing well give depth of standing water from surface 6'
 If flowing well describe control works NO
(Type and size of valve, etc.)
 Date of commencement of well FEB 24 Date of completion of well FEB 26
 Type of well rig CABLE TOOLS

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	2	2	SANDY CLAY.	
2	12	10	SAND-ROCK.	Chief aquifer (water-bearing formation) from <u>35</u> to <u>40</u> ft.
12	35	23	ROCK-CLAY.	Other aquifers.....
25	40	5	ROCK SAND-WATER.	
				First water at <u>12</u> feet.
				Casing perforated from <u>25</u> to <u>40</u> ft.
				Size of perforations <u>1/8</u>



