


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 2545
 Rec. _____ 19____
 Well No. 796
 Permit No. 15317
Do not fill in

Owner... Corene Gillispie Driller... S. R. McKinney & Son
 Address... 200 D. West San Francisco Ave Address... 1042 S. Main Las Vegas No. 45
 Location of well: SW 1/4 Sec 4, T 22 N/S, R 61 E, in Clark County
 or.....

Water will be used for... Domestic and Irrigation Total depth of well... 270 ft.
 Size of drilled hole... 12" to 55 ft, 10" to 200. Weight of casing per linear foot... 28 lb.
 Thickness of casing... 8" to 270 ft. Temp. of water.....
 Diameter and length of casing... 5/16"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure... 8" I.D. to 240 ft.
 If nonflowing well give depth of standing water from surface.....
 If flowing well describe control works... 66 ft.
 (Type and size of valve, etc.)
 Date of commencement of well..... Date of completion of well.....
 Type of well rig... March 23, 1954 March 31, 1954

72 Speed Star Driller

From feet	To feet	Thickness feet	Type of material
0	1	1	Surface
1	15	14	white clay
15	18	3	rock
18	35	17	red sandy clay
35	42	7	cemented gravel
42	60	18	white clay and gravel
60	70	10	red sandy clay
70	85	15	gravel water
85	170	85	red sandy clay with streaks of gravel water
170	175	5	gravel water
175	188	13	red clay
188	195	7	gravel water
195	200	5	red sandy clay
200	210	10	gravel water
210	260	50	cemented gravel water
260	270	10	gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from to ft.

Other aquifers 200 270
188 to 195
85 to 175

First water at feet.
85

Casing perforated
 from to ft.
180 210

Size of perforations
1/2" X 3", 4 rows around

