

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2962
 Rec. May 18 19 55
 Well No. ✓
 Permit No. ✓

Do not fill in

Owner C. H. George Driller Mel Meyer Company
 Address 1208 Lander St. Reno, Nev. Address 190 Moana Lane Lic. No. 3
Well located Lakeside Drive
 Location of well: NE 1/4 SE 1/4 Sec. 11, T. 18N/8, R 19E, in Washoe County
 or.....

Water will be used for Domestic Total depth of well 138

Size of drilled hole 6 5/8" Weight of casing per linear foot 14# per foot

Thickness of casing 3/16 Temp. of water Cool

Diameter and length of casing 138' of 6" casing
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Bailed well 30 Minutes, 2 bailers a minute
30 GPM.

If nonflowing well give depth of standing water from surface No

If flowing well describe control works 2" Pipe line with Gate Valve
(Type and size of valve, etc.)

Date of commencement of well 4/25/55 Date of completion of well 5/2/55

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	18	18	Boulders & Clay
18	20	2	Sand and Water
20	28	8	Clay and Sand
28	30	2	Gravel, Sand & Clay
30	44	14	Sand and Gravel and Clay
44	122	78	Sand and Water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 122 to 138 ft.

Other aquifers.....

20'

First water at 20' feet.

Casing perforated

from 118 to 138 ft.

Size of perforations

1/16 x 6



