WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3099
Rec. Aug. 22 1955
Well No.
Permit No.
Do not fill in

Owner North Star Valley School Driller J. B. Reynolds
Address Star Valley Nev Address Fallon Nev Lic. No. 28
Location of well: ¼ ¼ Sec. 4, T. 36 N/S, R. 59 E, in Elko Co. County
or
Water will be used for Domestic Total depth of well
Size of drilled hole 6" (six in) Weight of casing per linear foot 12 lbs per ft
Thickness of casing 5/16 (approx) Temp. of water cold
Diameter and length of casing 6 5/8" X 114'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
If flowing well give flow in c.f.s. or g.p.m. and pressure
If nonflowing well give depth of standing water from surface 60' sixty feet.
If flowing well describe control works
(Type and size of valve, etc.)
Date of commencement of well Aug 5 1954 Date of completion of well Aug 12/54
Type of well rig Cable tool (Star 71)

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Big boulders & clay.
30	55	25	clay & gravel
55	57	2	one boulder
57	60	3	small amount of water.
60	96	36	Decomposed granite & clay.
96	108	12	clay
108	114	6	gravel & clay some more water.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 108 to 114 ft.
Other aquifers 57-60

First water at 57 feet.

Casing perforated
from 57 to 112 ft.

Size of perforations
5/16" X 3"

(OVER)

919

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

(Bailer test showed 4 GPM.)

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed J. B. Reynolds
Well Driller

By J. B. R.

License No. 28

Dated Sept 16, 1954

OFFICE
STATE ENGINEER

1955 AUG 22 AM 9 51

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3156
Rec. Sept. 19 1955
Well No.
Permit No.
Do not fill in

Owner Robert Black Driller J B Reynolds
Address Deeth Nev Address Fallon Nev Lic. No. 28

Location of well: ¼ ¼ Sec. 6, T. 36 N/S, R. 59 E, in Elko County

or

Water will be used for Domestic Total depth of well 48'

Size of drilled hole 6" six inch Weight of casing per linear foot 10 gage

Thickness of casing 10 gage Temp. of water cold

Diameter and length of casing 6" X 48'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 4'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well Aug 17/55 Date of completion of well Aug 18/55

Type of well rig Cable tools.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Boulders & gravel
8	28	20	Clay & Mud.
28	42	14	Clay
42	48	6	water & coarse sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 42 to 48 ft.

Other aquifers
8 : 28
small amount of water

First water at 8 feet.

Casing perforated
from 40 to 46 ft.

Size of perforations
¼ X 1½"

(OVER)

919