

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 3109
 Rec. Aug. 11 19 55
 Well No.
 Permit No.

Do not fill in

Owner Roy Herder Driller J. W. Cunningham
 Address Panther Valley Address Reno Nevada Lic. No. 180
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 3, T20N/S, R19E, in Washoe County

Water will be used for Domestic Total depth of well 40 feet

Size of drilled hole 6" Weight of casing per linear foot 11 pounds

Thickness of casing $\frac{3}{16}$ " Temp. of water 45°

Diameter and length of casing 6" 10 foot lengths
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 20 feet

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well July 11, 1955 Date of completion of well July 12, 1955

Type of well rig Keystone

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	19	19	Shale
19	40	21	Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 20 to 40 ft.

Other aquifers.....

First water at 20 feet.

Casing perforated

from 20 to 40 ft.

Size of perforations

$\frac{1}{8}$ " x 3"



