

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3149
 Rec. Sept 14 1955
 Well No. _____
 Permit No. _____

Do not fill in

Owner Carlo Recanzone Driller Johnson & McInch

Address Paradise Valley, Nev. Address Box 585 Winnemucca, Nevada Lic. No. 219

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 24, T. 41N/S, R. 39E, in Humboldt County
 or First ranch north of town on Hinkey Summit road.

Water will be used for Stock water. Total depth of well 110'

Size of drilled hole 8" Weight of casing per linear foot 13#

Thickness of casing 10 gauge Temp. of water Cold

Diameter and length of casing 8" 104'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____

If nonflowing well give depth of standing water from surface 12'

If flowing well describe control works. _____
 (Type and size of valve, etc.)

Date of commencement of well 1 Sept 1955 Date of completion of well 3 Sept 1955

Type of well rig #71 Speed Star cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Soil
4	85	81	Cemented gravel
85	100	15	Granite sand.
100	110	10	Medium coarse gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 85 to 110 ft.

Other aquifers. Surface water
at 16' making from 1
to 2 gals per min.

First water at 16 feet.

Casing perforated

from 80 to 110 ft.

Size of perforations

1/8 X 1 1/2 slots

