

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3253  
 Rec. Dec. 15 1952  
 Well No. ....  
 Permit No. ....

*Do not fill in*

Owner Colorado Wyoming Drilling Co. Driller E.V. Head & Roy Rowden  
1119 Mile High Center.  
 Address Denver Colo Address Gooding Idaho Lic. No. 220

Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 11, T. 34N/3, R. 57E, in Elko County

Water will be used for Oil Well Supply Total depth of well 105'

Size of drilled hole 6 1/4 Weight of casing per linear foot 22<sup>7</sup>

Thickness of casing (6.4" to 6.3") 1 1/4" Temp. of water approx 60°

Diameter and length of casing  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 29'

If flowing well describe control works.....  
 (Type and size of valve, etc.)

Date of commencement of well Nov. 20 Date of completion of well Nov. 24

Type of well rig Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	3	3	Soil	
3	15	12	Sandy Dirt. firm.	Chief aquifer (water-bearing formation)
15	21	6	Hard Pam sandy.	from <u>42</u> to <u>54</u> ft.
21	42	21	Blue Gray Clay, sandy Hard.	Other aquifers <u>None</u>
42	54	12	Water Sand, Water	
54	105	51	Clay, Indigo Blue.	
				First water at <u>42</u> feet.
				Casing perforated
				from <u>41</u> to <u>62</u> ft.
				Size of perforations
				<u>3/8 in</u>



