

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3384  
 Rec. May 3 1956  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner J. J. Gray Driller Fred Erb  
 Address \_\_\_\_\_ Address E. Star Rt Fallon Nev. Lic. No. 121  
 Location of well: NW 1/4 NE 1/4 Sec. 14., T.20 N/S, R.24 E, in Lyon County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 17 ft.  
 Size of drilled hole 6 inch Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 20 gauge Galvanized Temp. of water 56  
 Diameter and length of casing 6 inch Casing 17  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 8 feet  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well April 13, 1956 Date of completion of well April 13, 1956  
 Type of well rig Cable Tool well Rig

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	fine silt.
3	17	14	Course Sand.

Water-bearing Formation, Casing Perforations, Etc.  
Course Sand  
 Chief aquifer (water-bearing formation)  
 from 8 to 17 ft.  
 Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 8 feet.  
 Casing perforated  
 from 11 to 17 ft.  
 Size of perforations  
1 x 1/4 inch



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6 in	0	17	17	20 gauge galvanized casing

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Pump Test about 300 gal. per Hr.  
Hand pump installed

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Fred Erb  
Well Driller

By Mrs. Fred Erb

License No. 121

Dated April 14, 1956

OFFICE  
STATE ENGINEER

(Not to be filled in by Driller)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

1956 MAY 2 AM 10 46