


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3422
 Rec. May 29 1956
 Well No. _____
 Permit No. _____
Do not fill in

Owner I. C. Stearns Driller Dave McNinch
 Address Paradise Valley, Nevada Address Winnemucca Nevada Lic. No. 219
 Location of well: NW 1/4 NE 1/4 Sec. 33, T41 N/R, R40 E, in Humboldt County
 or _____
 Water will be used for Irrigation Total depth of well 303'
 Size of drilled hole 16 1/2" Weight of casing per linear foot 30
 Thickness of casing 8 ga. Temp. of water cold
 Diameter and length of casing 16 1/2" 140' 14" from 140 to 303'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 11'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Aug. 6 1955 Date of completion of well Nov. 22 1955
 Type of well rig # 71 Speed Star Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	Top soil & clay
12	25	13	loose clean gravel
25	105	80	hard cemented gravel
105	130	25	light clay & sand
130	155	25	loose gravel
155	235	80	cemented gravel & sand
235	250	15	sand & fine gravel
250	275	25	loose gravel with thin layers of cemented sand
275	303		big loose gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 250 to 303 ft.

Other aquifers 12-25
105-155 235-303

12
 First water at _____ feet.

Casing perforated
 from 15 to 303 ft.

Size of perforations
3/8 X 2" slot
 approx. 30 per.ft.

