


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 25173  
 Re. Aug. 23 1956  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Shell Oil Co. Driller J. D. Hill

Address Ely, Nevada Address Ely, Nevada Lic. No. 14

Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 30, T. 23 N, R. 54 E, in White Pine Eureka County

Water will be used for oil well drilling Total depth of well 132

Size of drilled hole 6" Weight of casing per linear foot 20#

Thickness of casing  $\frac{3}{4}$ " Temp. of water \_\_\_\_\_

Diameter and length of casing 6" x 105'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 15 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well July 28, 1956 Date of completion of well July 29, 1956

Type of well rig Churn drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Soil
4	132	128	Sand

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 30 to 132 ft.

Other aquifers \_\_\_\_\_

---

First water at 30 feet.

Casing perforated

from 60 to 105 ft.

Size of perforations

$\frac{1}{4}$  x 6"



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

---



---



---



---



---



---



---

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed J. D. Hill  
Well Driller

By \_\_\_\_\_

License No. 14

Dated 8-21, 1956

(Not to be filled in by Driller)

---



---



---



---



---



---



---



---



---



---

OFFICE  
ENGINEER