

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

3534
 Log No. _____
 Rec. _____ 19____
 Well No. _____
 Permit No. 17064
Do not fill in

Owner Fred N. McDonnell Driller Effinger Bros.
 Address 95 Concord Street Address 212 Anderson Lane Lic. No. 105
 Location of well: SE 1/4 SW 1/4 NE 1/4 Sec. 21, T. 20 N/S, R. 6 E, in Clark County
 or SW Corner Concord & Tobin
 Water will be used for Quasi-Municipal Total depth of well 260 feet
 Size of drilled hole 6 Inch Weight of casing per linear foot 9.4 lbs.
 Thickness of casing 10 Guage Temp. of water _____
 Diameter and length of casing 6 5/8" OD 140 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 19.5" from top of casing
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well September 23, 1954 Date of completion of well September 27, 1954
 Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
83	126	43	Clean Cut
126	128	2	Limestone
128	135	7	Yellow Clay
135	138	3	Limestone
138	155	17	Yellow Clay
155	157	2	Brown Sand (Water)
157	163	6	Yellow Clay
163	165	2	Sandstone
165	173	8	Yellow Sandy Clay
173	175	2	Sandstone
175	183	8	Yellow Sandy Clay
183	198	15	Sandstone
198	218	20	Limestone
218	238	20	Red Sandy Clay
238	249	11	Sandstone
249	260	11	Fine Gravel & Sand (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 249 to 260 ft.

Other aquifers 155-157

First water at 155 feet.

Casing perforated

from _____ to _____ ft.

Size of perforations

