


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3692
 Rec. Mar. 15 19 57
 Well No.
 Permit No.
Do not fill in



Owner W. J. Cannon Driller W. J. Cannon

Address Highway 40 West Address Heno Lic. No. 157

Location of well: 1/4 1/4 Sec. 18, T. 19N/S, R. 19E, in Humboldt Co. County
 or

Water will be used for irrigation Total depth of well 130'

Size of drilled hole Weight of casing per linear foot

Thickness of casing 5/16" Temp. of water 60°C

Diameter and length of casing 3" X 130'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 35'

If flowing well describe control works ..
 (Type and size of valve, etc.)

Date of commencement of well 1/2/57 Date of completion of well 3/23/57

Type of well rig air drill - 3 1/2" hole

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|------------------|
| 0 | 15 | 15 | Reddish clay |
| 15 | 61 | 46 | clay |
| 61 | 100 | 39 | clay |
| 100 | 130 | 30 | Gravel |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 125 to 130 ft.

Other aquifers

First water at 35' feet.

Casing perforated
 from 0 to 15 ft.

Size of perforations
5/16" X 12"



