

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3897
 Rec. Oct 22 1957
 Well No.
 Permit No.

Do not fill in

Owner J. L. McCloud Driller Dave McNinch
Beowawe Nevada Box 585
 Address Address Winnemucca, Nevada Lic. No. 219

Location of well: NW 1/4 SW 1/4 Sec 13, T28 N/S, R47 E, in Lander County
 or

Water will be used for Irrigation Total depth of well 100

Size of drilled hole 14 3/8 Weight of casing per linear foot 23 lbs.

Thickness of casing 10 Ga. Temp. of water cold

Diameter and length of casing 14 3/8 100
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 48

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well Oct 16 1957 Date of completion of well Oct 20, 1957

Type of well rig # 71 Speed Star cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	silty soil
1	3	2	sand
3	34	31	broken gravel and clay
34	58	24	sticky clay
58	63	5	clean gravel
63	75	12	soft clay
75	85	10	big clean gravel
85	100	15	clay and gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 75 to 85 ft.

Other aquifers 58 to 63

First water at 58 feet.

Casing perforated
 from 58 to 100 ft.

Size of perforations
1/4 X 3 slots
 Approx 40 per ft.



